

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru | pia@nt-rt.ru

**Технические характеристики на
инфузионные стойки для больниц,
мобильные стойки
IV-Stand Normal care, IV POLE Normal care
компании PROVITA**

Normal care unit



The best infusion stands for the daily patient care

The proven solution for
normal hospital operation.

INFUSIONS STANDS For the normal care unit



Stainless steel
(1.4301)
for best hygienic
properties



High-gloss
chrome-plated,
3-layer system



Bottle holders
according the
standards



High quality
castors

Material Chrome-plated steel /
Stainless steel

Castors Twin castors /
Single castors

Height adjustment Screw system or
Single-handed system



Medical device
tested according to
DIN EN 60601



Shipping optimized
packaging (up to
100 pieces on one
pallet)



Short assembly
time, only 2 – 3
minutes (base
assembly with only
one screw)



Many different
configurations

Normal care unit
Infusion stands



+ different options

+ up to 121°
sterilisable
drip glass

+ with
aquastop

+ tilt proof
& space saving



Here you see two configurations
of the height adjustment (screw &
single-handed – the original)

 Made in
Germany



Normal care unit

Infusion stands



SET-UP TIME

2 - 3 minutes



DIN EN 60601

3rd Edition



SUITABLE FOR

electro-medical devices



Different bottle holders

I-N41221

Our recommendation for the normal care unit

Total weight approx. 6.1 kg

Base diameter 635 mm

Easy

to configure

I-N

a) b) c) d) e)

Material / colour

a)

Height adjustment

d)

Stainless steel / blue

1

Single-handed (2.2 kg)* (max. extension 2,150 mm)

1

Chrome-plated steel / blue

4

Screw (4.5 kg)* (max. extension 2,150 mm)

2

Castors

b)

Bottle holder

e)

Twin castors 50 mm

1

Plastic 2.0 kg / hook

1

Single castors 80 mm

2

Stainless steel to screw in 2.0 kg / hook

2

Stainless steel to plug in 2.0 kg / hook

3

Base weight

c)

Non weighted approx. 2.2 kg*

1

Weighted approx. 4.5 kg*

2

* Series I-N, non weighted, only suitable for use with gravity infusion

Normal care unit

Infusion stands



DIN EN 60601
3rd Edition



ONLY FOR
Gravity
infusion



DIN EN 60601
3rd Edition



normal

100 %
(2.48 m²)



ECO-MOVE

61 %
(1.30 m²)



ECO-SPACE

47.5 %
(0.96 m²)

Here you can see how
space-saving our ECO
models can be stored.

ECO-MOVE Stumble-free manoeuvrability

Material Stainless steel / Aluminium

Castors Twin castors Ø 75 mm

Base weight 4.7 kg

Height adjustment Single-handed system

Bottle holder Stainless steel 4 hooks –
2.0 kg / hook

Regulating range 1,330 mm – 2,200 mm

Total weight 6.8 kg

Base dimension 595 × 620 mm

I-S14212



Please order pushing handle separately
(Z-ECO001)

ECO-SPACE Space-saving base construction

Material Chrome-plated steel / Stainless steel

Castors Single castors Ø 75 mm

Base weight 2.25 kg

Height adjustment Screw or single-handed system

Bottle holder Stainless steel 4 hooks – 2.0 kg / hook

Regulating range

Single-handed system approx. 1,290 mm – 2,130 mm

Screw system approx. 1,350 mm – 2,220 mm

Total weight 3.5 kg

Base diameter 590 mm

Stainless steel

Single-handed system I-S12112

Chrome-plated steel

Screw height adjustment I-S42122



Normal care unit

Infusion stands



LOW-GRAVITY

Extremely low centre of gravity for tilt resistant movement

Material Chrome-plated steel

Castors Twin castors Ø 75 mm

Base weight 6.0 kg

Height adjustment Single-handed system


Bottle holder Plastic 4 hooks – 2.0 kg / hook

Regulating range approx. 1,425 mm – 2,140 mm

Total weight approx. 7.6 kg

Base diameter 600 mm

I-L11112



NIGHT LINE

Fluorescence eases night care

Material Chrome-plated steel

Castors Twin castors Ø 50 mm

Base weight 1.9 kg

Height adjustment Screw system

Bottle holder Plastic 4 hooks – 2.0 kg / hook

Regulating range approx. 1,170 mm – 2,020 mm

Total weight approx. 3.9 kg

Base diameter 635 mm

I-NL1121



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Safety

Application

COLORED IV-STAND

Ultramarine blue (RAL 5002) coated

Product number: I-N51121

Field of application:	Normal Care, Pediatric
Material:	Coated steel
Colour of plastic parts:	Black
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Minimum length/height:	1,270
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: *

Packaging unit: Unit



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

COLORED IV-STAND

Traffic red (RAL 3020) coated

Product number: I-N71121

Field of application: Normal Care, Pediatric

Packaging dimensions

Packaging unit: *

Packaging unit: Unit



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

COLORED IV-STAND
Melon yellow (RAL 1028) coated

Product number:	I-N81121
Field of application:	Normal Care, Pediatric
Material:	Coated steel
Colour of plastic parts:	Black
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Minimum length/height:	1,270
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: *

Packaging unit: Unit



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N41112

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg

Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N41122

Field of application:	Normal Care
Material:	Chromed steel
Colour of plastic parts:	Blue
Bottle Holder:	Chromed steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N41212

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N41221

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N41223

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42112

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42121

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42123

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42212

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42221

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV POLE NORMAL CARE

Material: chromed steel

Product number: I-N42223

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41111

Field of application: Normal Care
Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41113

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED 3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41121

Field of application:	Normal Care
Material:	Chromed steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2.110 mm
Minimum length/height:	1.270
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1.000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41123

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41211

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N41213

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42111

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42113

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42122

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42211

Field of application:	Normal Care
Material:	Chromed steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42213

Field of application: Normal Care

Material: Chromed steel

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV STAND NORMAL CARE

Material: chromed steel

Product number: I-N42222

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV STAND NORMAL CARE, HEAVY WEIGHTED

Material: chromed steel

Product number: I-N41222

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11111

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: Stainless steel

Product number: I-N11112

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N11113
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	7,6 kg	Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11121

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2.110 mm
Minimum length/height:	1.270
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1.000
Base leg profile:	25 mm x 25 mm
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11122

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1,290
Base leg profile:	25x25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11123

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1,250
Base leg profile:	25x25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N11211
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	12,8 kg	Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N11212
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	12,8 kg	Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N11213
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,090
Base leg profile:	25x25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	12,8 kg	Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11221

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2.110 mm
Minimum length/height:	1.270
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1.290
Base leg profile:	25x25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11222

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N11223

Field of application:	Normal Care
Material:	Stainless steel/ Aluminium/ PMMA/ Plastic
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1.050
Base leg profile:	25x25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Twin castors (2/5 lockable)
Castor diameter:	Ø 50 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12111
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,090
Base leg profile:	25x25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair	
Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12112
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair	
Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12113
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1,000
Base leg profile:	25x25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	7,6 kg	Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12121

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18
Outer tube diameter:	mm
Length of outer tube:	Ø 1.250
Base leg profile:	25x25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12122

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Unweighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	9.5
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12123

Field of application: Normal Care

Load capacity per hook (kg): 2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	4,1 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12211
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	12,8 kg	Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12212
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair	
Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Packaging unit: Unit	
Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number:	I-N12213
Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	One-hand height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair		Packaging unit: Unit	
Width Box1	0,19 m	Width Box1	0,19 m
Height Box1	0,1 m	Height Box1	0,1 m
Length Box1	1,19 m	Length Box1	1,19 m
Weight Box1	12,8 kg	Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12221

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Plastic
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12222

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to screw in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



BEST HYGIENIC PROPERTIES
stainless steel (1.4301)



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Material: stainless steel

Product number: I-N12223

Field of application:	Normal Care
Material:	Stainless steel
Colour of plastic parts:	Blue
Bottle Holder:	Stainless steel to plug in, bottle holder
Number of hooks:	4
Arrangement of the hooks:	90° to each other
Type of height adjustment:	Screw height adjustment
Maximum length/height:	2,150
Minimum length/height:	1,350
Inner tube diameter:	Ø 18 mm
Outer tube diameter:	Ø 25 mm
Length of outer tube:	1,000
Base leg profile:	25 x 25
Base weight:	Weighted
Base diameter (mm):	Ø 635 mm
Castors:	Mono castors
Castor diameter:	Ø 80 mm
Drip vessel sterilizable:	Yes
Total load capacity (kg):	11
Load capacity per system (kg):	8
Load capacity per hook (kg):	2

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	12,8 kg

Packaging unit: Unit

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	6,8 kg



Product highlights



HIGH-GLOSS CHROME-PLATED
3-layer-system



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Pearl white (RAL 1013) coated


Product number: **I-N61121**

Field of application: Normal Care, Pediatric

Packaging dimensions

Packaging unit: Pair

Width Box1	0,19 m
Height Box1	0,1 m
Length Box1	1,19 m
Weight Box1	7,6 kg



Product highlights



**HIGH-GLOSS CHROME-PLATED
3-layer-system**



many different configurations

Information

Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

Technology

Economy

Safety

Application

IV-STAND NORMAL CARE

Traffic green (RAL 6024) coated

Product number: I-N91121

Field of application: Normal Care, Pediatric

Packaging dimensions

Packaging unit: *

Packaging unit: Unit

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru | | pia@nt-rt.ru