

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132


Киргизия +996(312)96-26-47

[www.provita.nt-rt.ru](http://www.provita.nt-rt.ru) | [pia@nt-rt.ru](mailto:pia@nt-rt.ru)

# Технические характеристики на инфузионные стойки для интенсивной терапии Intensive care unit, IV-POLE, IV STAND компании **PROVITA**

**Виды товаров:** подставки для капельниц, держатели для тяжелых грузов, стабильные не наклоняющиеся стойки, стойки для премиум-ухода и др.

## Intensive care unit



# The high-quality infusion stands for intensive care units

Mobile solutions  
for intensive care medicine.

### INFUSION STANDS For the intensive care unit



Stainless steel  
(1.4301) for best  
hygienic properties



Loadable solution,  
up to 50 kg depend-  
ing on model



Bottle holders  
according to the  
standards

**Material** Stainless steel / Aluminium

**Castors** Twin castors / Single castors

**Height adjustment** Screw system or  
Single-handed system



High quality,  
low- noise castors



Medical device  
tested according to  
DIN EN 60601



Shipping optimized  
packaging (up to  
100 pieces on one  
pallet)

**Intensive care unit**  
Infusion stands



## Intensive care unit

Infusion stands



**DIN EN 60601**  
3rd Edition



**SUITABLE FOR**  
electro-medical  
devices

**13.5** kg  
load capacity



**weighted version with**  
**blue-grey plastic parts**

**21** kg  
load capacity

### I-I12212

#### Our recommendation for the intensive care unit

**Regulating range** approx. 1,500 mm – 2,210 mm

**Total weight** approx. 8.6 kg (with drip glass and holder)

**Base diameter** 680 mm

**Length of outer tube** 1,200 mm

Easy to  
configure

**I-I**

**a) b) c) d) e)**

#### Material / colour

**a)**

#### Height adjustment

**d)**

**Stainless steel / blue**

**1**

**Single-handed** (max. extension 2,210 mm)

**1**

**Screw** (max. extension 2,270 mm)

**2**

#### Castors

**b)**

#### Bottle holder

**e)**

**Single castors** 80 mm

**2**

**Plastic** 2.0 kg / hook

**1**

**Apparatus castors** 75 mm

**3**

**Stainless steel to screw in** 2.0 kg / hook

**2**

**Stainless steel to plug in** 2.0 kg / hook

**3**

**Stainless steel to screw in** 5.0 kg / hook

**4**

**Bottle bar** 4 hooks\*

**5**

**Bottle bar** 6 hooks\*

**6**

#### Base weight

**c)**

**Non weighted** approx. 2.6 kg

**1**

**Weighted** approx. 6.5 kg

**2**

\* for models with  
weighted base only

## Intensive care unit

### Premium Care



#### I-PRE001

### High load capacity (weighted base)

**18** kg  
load capacity

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg / hook

**Regulating range** 1,520 mm – 2,295 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 18 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 8.9 kg

**Total weight** 11 kg

**With twin castors** I-PRE001

**With apparatus castors** I-PRE011



#### I-PRE002

### Good load capacity (non-weighted base)

**13** kg  
load capacity

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg / hook

**Regulating range** 1,465 mm – 2,180 mm

**Base leg profile** Ø 25 mm

**Load capacity** 13 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 4.9 kg

**Total weight** 7 kg

**With twin castors** I-PRE002

**With apparatus castors** I-PRE012



All versions available with  
twin castors or apparatus castors




## Intensive care unit

### Premium Care



**Stainless steel  
screw height  
adjustment**



**With Softdrop system!**



**All versions available with  
twin castors or apparatus  
castors**

**I-PRE003**  
**Very high  
load capacity**



**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Screw system with Softdrop feature

**Bottle holder** Stainless steel 4 hooks – 5.0 kg/hook

**Regulating range** 1,430 mm – 2,260 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 32 kg

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 8.9 kg

**Total weight** 12 kg

**With twin castors** I-PRE003

**With apparatus castors** I-PRE013



**High-quality anodized  
special coating to prevent  
paint from coming off**

**Recommended accessories for  
Premium Care (see p. 50)**

## Intensive care unit

### Premium Care



#### I-PRE004

##### Best hygienic properties due to round base legs



**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,520 mm – 2,225 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 13 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm


**Base diameter** 630 mm

**Base weight** 4.7 kg

**Total weight** 7 kg

**With twin castors** I-PRE004

**With apparatus castors** I-PRE014



#### PUMP CARRIER I-PRE100

##### Ideal operability due to curved base legs



**Material** Stainless steel / Aluminium

**Castors** Apparatus castors Ø 75mm

**Height adjustment** Screw system

**Bottle bar** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,835 mm – 2,100 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 45 kg

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,500 mm

**Base diameter** 660 / 844 mm


**Total weight** 16 kg

I-PRE100



## Intensive care unit

### Gravity infusion stand



## DÜSSELDORF UNIVERSITY MODEL

### Stable base construction



**Regulating range** approx. 1,490 mm – 2,250 mm

**Tube diameter** Ø 33,7 / Ø 25 mm

**Length of outer tube** 1,300 mm

**Base diameter** 680 mm

**Total weight** approx. 10 kg

**Base weight** 6.6 kg

Easy  
to configure

I-D a) b) c) d) e)

#### Material / colour

Stainless steel

a)

0

#### Height adjustment

d)

Screw system with Softdrop feature

2

#### Castors

b)

Single castors 80 mm

2

Apparatus castors 75 mm

3

#### Bottle holder

e)

Stainless steel to plug in  
2.0 kg / hook

3

Stainless steel to screw in  
5.0 kg / hook

4

#### Base weight


c)

Non weighted

1

## Intensive care unit

Device carrier for heavy loads



I-P02226



I-PA2226



I-PB2226

## ISP UNITS

### Twist-proof stand construction

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 125 mm / Single castors Ø 80 mm

**Height adjustment** Screw system (anti-twist)

**Bottle bar** Stainless steel 6 hooks – 2.0 kg / hook

**Regulating range** approx. 1,710 mm – 2,240 mm

**Total weight** approx. 25 kg

**Tube diameter** Ø 38 mm / SQR 25 mm

**Length of outer tube** 1,420 mm

**Base diameter** 860 mm



**anti-twist due to square inner tube**

**Twin castors**  
(max. load 50 kg)



**Single castors**  
(max. load 25 kg)



**Base model** I-P02226

**With 5 equipment rails** I-PA2226

**With pump holder frame** I-PB2226

**Base model** I-P02227

**With 5 equipment rails** I-PA2227

**With pump holder frame** I-PB2227





### Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

### Information

#### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

#### Economy

#### Safety

## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: I-I12215

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue-grey/ Black            |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 4                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | One-hand height adjustment  |
| Maximum length/height:         | 2,350                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Mono castors                |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 8                           |
| Load capacity per hook (kg):   | 2                           |

### Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV STAND / DRIP STAND

Material: stainless steel

Product number: **I-I12113**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue                                      |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | One-hand height adjustment                |
| Maximum length/height:         | 2,350                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Unweighted                                |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Mono castors                              |
| Castor diameter:               | Ø 80 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 13                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: **I-I12121**

|                                |                         |
|--------------------------------|-------------------------|
| Field of application:          | Intensive Care          |
| Material:                      | Stainless steel         |
| Colour of plastic parts:       | Blue                    |
| Bottle Holder:                 | Plastic                 |
| Number of hooks:               | 4                       |
| Arrangement of the hooks:      | 90° to each other       |
| Type of height adjustment:     | Screw height adjustment |
| Maximum length/height:         | 2,450                   |
| Minimum length/height:         | 1,500                   |
| Inner tube diameter:           | Ø 18 mm                 |
| Outer tube diameter:           | Ø 25 mm                 |
| Length of outer tube:          | 1,200                   |
| Base leg profile:              | 45 x 25 mm              |
| Base weight:                   | Unweighted              |
| Base diameter (mm):            | Ø 680 mm                |
| Castors:                       | Mono castors            |
| Castor diameter:               | Ø 80 mm                 |
| Drip vessel sterilizable:      | Yes                     |
| Total load capacity (kg):      | 13                      |
| Load capacity per system (kg): | 8                       |
| Load capacity per hook (kg):   | 2                       |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I12123**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue                                      |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | Screw height adjustment                   |
| Maximum length/height:         | 2,450                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Unweighted                                |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Mono castors                              |
| Castor diameter:               | Ø 80 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 13                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I12211**

|                                |                            |
|--------------------------------|----------------------------|
| Field of application:          | Intensive Care             |
| Material:                      | Stainless steel            |
| Colour of plastic parts:       | Blue-grey/ Black           |
| Bottle Holder:                 | Plastic                    |
| Number of hooks:               | 4                          |
| Arrangement of the hooks:      | 90° to each other          |
| Type of height adjustment:     | One-hand height adjustment |
| Maximum length/height:         | 2,350                      |
| Minimum length/height:         | 1,500                      |
| Inner tube diameter:           | Ø 18 mm                    |
| Outer tube diameter:           | Ø 25 mm                    |
| Length of outer tube:          | 1,200                      |
| Base leg profile:              | 45 x 25 mm                 |
| Base weight:                   | Weighted                   |
| Base diameter (mm):            | Ø 680 mm                   |
| Castors:                       | Mono castors               |
| Castor diameter:               | Ø 75 mm                    |
| Drip vessel sterilizable:      | Yes                        |
| Total load capacity (kg):      | 21                         |
| Load capacity per system (kg): | 8                          |
| Load capacity per hook (kg):   | 2                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I12213**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue-grey/ Black                          |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | One-hand height adjustment                |
| Maximum length/height:         | 2,350                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Weighted                                  |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Mono castors                              |
| Castor diameter:               | Ø 75 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 21                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: I-I12221

|                                |                         |
|--------------------------------|-------------------------|
| Field of application:          | Intensive Care          |
| Material:                      | Stainless steel         |
| Colour of plastic parts:       | Blue-grey/ Black        |
| Bottle Holder:                 | Plastic                 |
| Number of hooks:               | 4                       |
| Arrangement of the hooks:      | 90° to each other       |
| Type of height adjustment:     | Screw height adjustment |
| Maximum length/height:         | 2,450                   |
| Minimum length/height:         | 1,500                   |
| Inner tube diameter:           | Ø 18 mm                 |
| Outer tube diameter:           | Ø 25 mm                 |
| Length of outer tube:          | 1,200                   |
| Base leg profile:              | 45 x 25 mm              |
| Base weight:                   | Weighted                |
| Base diameter (mm):            | Ø 680 mm                |
| Castors:                       | Mono castors            |
| Castor diameter:               | Ø 75 mm                 |
| Drip vessel sterilizable:      | Yes                     |
| Total load capacity (kg):      | 21                      |
| Load capacity per system (kg): | 8                       |
| Load capacity per hook (kg):   | 2                       |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application



## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: I-I12223

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue-grey/ Black                          |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | Screw height adjustment                   |
| Maximum length/height:         | 2,450                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Weighted                                  |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Mono castors                              |
| Castor diameter:               | Ø 75 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 21                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety



## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13111**

|                                |                            |
|--------------------------------|----------------------------|
| Field of application:          | Intensive Care             |
| Material:                      | Stainless steel            |
| Colour of plastic parts:       | Blue                       |
| Bottle Holder:                 | Plastic                    |
| Number of hooks:               | 4                          |
| Arrangement of the hooks:      | 90° to each other          |
| Type of height adjustment:     | One-hand height adjustment |
| Maximum length/height:         | 2,350                      |
| Minimum length/height:         | 1,500                      |
| Inner tube diameter:           | Ø 18 mm                    |
| Outer tube diameter:           | Ø 25 mm                    |
| Length of outer tube:          | 1,200                      |
| Base leg profile:              | 45 x 25 mm                 |
| Base weight:                   | Unweighted                 |
| Base diameter (mm):            | Ø 680 mm                   |
| Castors:                       | Apparatus castors          |
| Castor diameter:               | Ø 75 mm                    |
| Drip vessel sterilizable:      | Yes                        |
| Total load capacity (kg):      | 13                         |
| Load capacity per system (kg): | 8                          |
| Load capacity per hook (kg):   | 2                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety



## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13113**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue                                      |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | One-hand height adjustment                |
| Maximum length/height:         | 2,350                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Unweighted                                |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Apparatus castors                         |
| Castor diameter:               | Ø 75 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 13                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: **I-I13225**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue                        |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 4                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | Screw height adjustment     |
| Maximum length/height:         | 2,450                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Apparatus castors           |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 8                           |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application



## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13121**

|                                |                         |
|--------------------------------|-------------------------|
| Field of application:          | Intensive Care          |
| Material:                      | Stainless steel         |
| Colour of plastic parts:       | Blue                    |
| Bottle Holder:                 | Plastic                 |
| Number of hooks:               | 4                       |
| Arrangement of the hooks:      | 90° to each other       |
| Type of height adjustment:     | Screw height adjustment |
| Maximum length/height:         | 2,450                   |
| Minimum length/height:         | 1,500                   |
| Inner tube diameter:           | Ø 18 mm                 |
| Outer tube diameter:           | Ø 25 mm                 |
| Length of outer tube:          | 1,200                   |
| Base leg profile:              | 45 x 25 mm              |
| Base weight:                   | Unweighted              |
| Base diameter (mm):            | Ø 680 mm                |
| Castors:                       | Apparatus castors       |
| Castor diameter:               | Ø 75 mm                 |
| Drip vessel sterilizable:      | Yes                     |
| Total load capacity (kg):      | 13                      |
| Load capacity per system (kg): | 8                       |
| Load capacity per hook (kg):   | 2                       |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages


- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application



## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13123**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue                                      |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | Screw height adjustment                   |
| Maximum length/height:         | 2,450                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Unweighted                                |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Apparatus castors                         |
| Castor diameter:               | Ø 75 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 13                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety



## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: I-I13211

|                                |                            |
|--------------------------------|----------------------------|
| Field of application:          | Intensive Care             |
| Material:                      | Stainless steel            |
| Colour of plastic parts:       | Blue                       |
| Bottle Holder:                 | Plastic                    |
| Number of hooks:               | 4                          |
| Arrangement of the hooks:      | 90° to each other          |
| Type of height adjustment:     | One-hand height adjustment |
| Maximum length/height:         | 2,350                      |
| Minimum length/height:         | 1,500                      |
| Inner tube diameter:           | Ø 18 mm                    |
| Outer tube diameter:           | Ø 25 mm                    |
| Length of outer tube:          | 1,200                      |
| Base leg profile:              | 45 x 25 mm                 |
| Base weight:                   | Weighted                   |
| Base diameter (mm):            | Ø 680 mm                   |
| Castors:                       | Apparatus castors          |
| Castor diameter:               | Ø 75 mm                    |
| Drip vessel sterilizable:      | Yes                        |
| Total load capacity (kg):      | 21                         |
| Load capacity per system (kg): | 8                          |
| Load capacity per hook (kg):   | 2                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety



## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13213**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,46 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number: I-I13215**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue                        |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 4                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | One-hand height adjustment  |
| Maximum length/height:         | 2,350                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Apparatus castors           |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 8                           |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

**Material: stainless steel**

**Product number:** I-I13221

|                                |                         |
|--------------------------------|-------------------------|
| Field of application:          | Intensive Care          |
| Material:                      | Stainless steel         |
| Colour of plastic parts:       | Blue                    |
| Bottle Holder:                 | Plastic                 |
| Number of hooks:               | 4                       |
| Arrangement of the hooks:      | 90° to each other       |
| Type of height adjustment:     | Screw height adjustment |
| Maximum length/height:         | 2,450                   |
| Minimum length/height:         | 1,500                   |
| Inner tube diameter:           | Ø 18 mm                 |
| Outer tube diameter:           | Ø 25 mm                 |
| Length of outer tube:          | 1,200                   |
| Base leg profile:              | 45 x 25 mm              |
| Base weight:                   | Weighted                |
| Base diameter (mm):            | Ø 680 mm                |
| Castors:                       | Apparatus castors       |
| Castor diameter:               | Ø 75 mm                 |
| Drip vessel sterilizable:      | Yes                     |
| Total load capacity (kg):      | 21                      |
| Load capacity per system (kg): | 8                       |
| Load capacity per hook (kg):   | 2                       |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,17 m |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## I.V. STAND / DRIP STAND

Material: stainless steel

Product number: **I-I13223**

|                                |                                           |
|--------------------------------|-------------------------------------------|
| Field of application:          | Intensive Care                            |
| Material:                      | Stainless steel                           |
| Colour of plastic parts:       | Blue                                      |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder |
| Number of hooks:               | 4                                         |
| Arrangement of the hooks:      | 90° to each other                         |
| Type of height adjustment:     | Screw height adjustment                   |
| Maximum length/height:         | 2,450                                     |
| Minimum length/height:         | 1,500                                     |
| Inner tube diameter:           | Ø 18 mm                                   |
| Outer tube diameter:           | Ø 25 mm                                   |
| Length of outer tube:          | 1,200                                     |
| Base leg profile:              | 45 x 25 mm                                |
| Base weight:                   | Weighted                                  |
| Base diameter (mm):            | Ø 680 mm                                  |
| Castors:                       | Apparatus castors                         |
| Castor diameter:               | Ø 75 mm                                   |
| Drip vessel sterilizable:      | Yes                                       |
| Total load capacity (kg):      | 21                                        |
| Load capacity per system (kg): | 8                                         |
| Load capacity per hook (kg):   | 2                                         |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV STAND / DRIP STAND

Material: stainless steel

Product number: **I-12111**

|                                |                            |
|--------------------------------|----------------------------|
| Field of application:          | Intensive Care             |
| Material:                      | Stainless steel            |
| Colour of plastic parts:       | Blue                       |
| Bottle Holder:                 | Plastic                    |
| Number of hooks:               | 4                          |
| Arrangement of the hooks:      | 90° to each other          |
| Type of height adjustment:     | One-hand height adjustment |
| Maximum length/height:         | 2,350                      |
| Minimum length/height:         | 1,500                      |
| Inner tube diameter:           | Ø 18 mm                    |
| Outer tube diameter:           | Ø 25 mm                    |
| Length of outer tube:          | 1,200                      |
| Base leg profile:              | 45 x 25 mm                 |
| Base weight:                   | Unweighted                 |
| Base diameter (mm):            | Ø 680 mm                   |
| Castors:                       | Mono castors               |
| Castor diameter:               | Ø 80 mm                    |
| Drip vessel sterilizable:      | Yes                        |
| Total load capacity (kg):      | 13                         |
| Load capacity per system (kg): | 8                          |
| Load capacity per hook (kg):   | 2                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**SOFTDROP SYSTEM**  
for maximum security



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Safety

### Application

## IV STAND MODEL UNI DÜSSELDORF S.S

**Material: stainless steel**

**Product number: I-D02123**

|                                |                                                |
|--------------------------------|------------------------------------------------|
| Field of application:          | Intensive Care                                 |
| Material:                      | Stainless steel                                |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder      |
| Number of hooks:               | 4                                              |
| Arrangement of the hooks:      | 90° to each other                              |
| Type of height adjustment:     | stainless steel screw safety height adjustment |
| Maximum length/height:         | 2,550                                          |
| Minimum length/height:         | 1,550                                          |
| Inner tube diameter:           | Ø 25 mm                                        |
| Outer tube diameter:           | Ø 33,7 mm                                      |
| Length of outer tube:          | 1,300                                          |
| Wall thickness inner tube:     | 1,5 mm                                         |
| Wall thickness outer tube:     | 1,6 mm                                         |
| Base leg profile:              | 45 x 25 mm                                     |
| Base weight:                   | Unweighted                                     |
| Base diameter (mm):            | Ø 680 mm                                       |
| Castors:                       | Mono castors                                   |
| Castor diameter:               | Ø 80 mm                                        |
| Total load capacity (kg):      | 20                                             |
| Load capacity per system (kg): | 8                                              |
| Load capacity per hook (kg):   | 2                                              |

## Packaging dimensions

**Packaging unit: Unit**

|             |         |
|-------------|---------|
| Width Box1  | 0,31 m  |
| Height Box1 | 0,21 m  |
| Length Box1 | 1,59 m  |
| Weight Box1 | 10,7 kg |

## Product highlights



**DIN ISO 15375**  
Bottle holders according to standards



**CONDUCTIVITY**  
for medical devices

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Safety

### Application

## IV POLE UNI DÜSSELDORF

**Material: stainless steel**

**Product number: I-D02124**

|                                |                                                |
|--------------------------------|------------------------------------------------|
| Field of application:          | Intensive Care                                 |
| Material:                      | Stainless steel                                |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder     |
| Number of hooks:               | 4                                              |
| Arrangement of the hooks:      | 90° to each other                              |
| Type of height adjustment:     | stainless steel screw safety height adjustment |
| Maximum length/height:         | 2,550                                          |
| Minimum length/height:         | 1,550                                          |
| Inner tube diameter:           | Ø 25 mm                                        |
| Outer tube diameter:           | Ø 33,7 mm                                      |
| Length of outer tube:          | 1,300                                          |
| Wall thickness inner tube:     | 1,5 mm                                         |
| Wall thickness outer tube:     | 1,6 mm                                         |
| Base leg profile:              | 45 x 25 mm                                     |
| Base weight:                   | Unweighted                                     |
| Base diameter (mm):            | Ø 680 mm                                       |
| Castors:                       | Mono castors                                   |
| Castor diameter:               | Ø 80 mm                                        |
| Total load capacity (kg):      | 20                                             |
| Load capacity per system (kg): | 8                                              |
| Load capacity per hook (kg):   | 2                                              |

## Packaging dimensions

**Packaging unit: Unit**

|             |         |
|-------------|---------|
| Width Box1  | 0,31 m  |
| Height Box1 | 0,21 m  |
| Length Box1 | 1,59 m  |
| Weight Box1 | 10,7 kg |

## Product highlights



**DIN ISO 15375**  
Bottle holders according to standards



**CONDUCTIVITY**  
for medical devices

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Safety

### Application

## IV STAND MODEL UNI DÜSSELDORF S.S

**Material: stainless steel**

**Product number:** I-D03123

|                                |                                                |
|--------------------------------|------------------------------------------------|
| Field of application:          | Intensive Care                                 |
| Material:                      | Stainless steel                                |
| Bottle Holder:                 | Stainless steel to plug in, bottle holder      |
| Number of hooks:               | 4                                              |
| Arrangement of the hooks:      | 90° to each other                              |
| Type of height adjustment:     | stainless steel screw safety height adjustment |
| Maximum length/height:         | 1.320 mm                                       |
| Inner tube diameter:           | Ø 15 mm                                        |
| Outer tube diameter:           | Ø 20 mm                                        |
| Length of outer tube:          | 500 mm                                         |
| Base leg profile:              | 20 x 20 mm                                     |
| Base weight:                   | Weighted                                       |
| Base diameter (mm):            | Ø 660 mm                                       |
| Castors:                       | Apparatus castors                              |
| Castor diameter:               | Ø 75 mm                                        |
| Total load capacity (kg):      | 20                                             |
| Load capacity per system (kg): | 8                                              |
| Load capacity per hook (kg):   | 2                                              |

## Packaging dimensions

**Packaging unit: Unit**

|             |         |
|-------------|---------|
| Width Box1  | 0,31 m  |
| Height Box1 | 0,21 m  |
| Length Box1 | 1,59 m  |
| Weight Box1 | 10,7 kg |

## Product highlights



**DIN ISO 15375**  
Bottle holders according to standards



**CONDUCTIVITY**  
for medical devices

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Safety

### Application

## IV STAND MODEL UNI DÜSSELDORF S.S

**Material: stainless steel**

**Product number:** I-D03124

|                                       |                                                |
|---------------------------------------|------------------------------------------------|
| <b>Field of application:</b>          | Intensive Care                                 |
| <b>Material:</b>                      | Stainless steel                                |
| <b>Bottle Holder:</b>                 | Stainless steel to screw in, bottle holder     |
| <b>Number of hooks:</b>               | 4                                              |
| <b>Arrangement of the hooks:</b>      | 90° to each other                              |
| <b>Type of height adjustment:</b>     | stainless steel screw safety height adjustment |
| <b>Maximum length/height:</b>         | 2,550                                          |
| <b>Minimum length/height:</b>         | 1,550                                          |
| <b>Inner tube diameter:</b>           | Ø 25 mm                                        |
| <b>Outer tube diameter:</b>           | Ø 33,7 mm                                      |
| <b>Length of outer tube:</b>          | 1,300                                          |
| <b>Base leg profile:</b>              | 45 x 25 mm                                     |
| <b>Base weight:</b>                   | Unweighted                                     |
| <b>Base diameter (mm):</b>            | Ø 680 mm                                       |
| <b>Castors:</b>                       | Apparatus castors                              |
| <b>Castor diameter:</b>               | Ø 75 mm                                        |
| <b>Total load capacity (kg):</b>      | 18                                             |
| <b>Load capacity per system (kg):</b> | 8                                              |
| <b>Load capacity per hook (kg):</b>   | 2                                              |

## Packaging dimensions

**Packaging unit: Unit**

|                    |         |
|--------------------|---------|
| <b>Width Box1</b>  | 0,31 m  |
| <b>Height Box1</b> | 0,21 m  |
| <b>Length Box1</b> | 1,59 m  |
| <b>Weight Box1</b> | 10,7 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12122**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Unweighted                                 |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 80 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 13                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12112**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Unweighted                                 |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 80 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 13                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12212**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue-grey/ Black                           |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

Material: stainless steel


Product number: **I-I12214**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue-grey/ Black                           |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 20                                         |
| Load capacity per hook (kg):   | 5                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |



### Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

### Information

#### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

#### Economy

#### Safety

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: I-I12216

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue-grey/ Black            |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 6                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | One-hand height adjustment  |
| Maximum length/height:         | 2,350                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Mono castors                |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 12                          |
| Load capacity per hook (kg):   | 2                           |

### Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12222**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue-grey/ Black                           |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-STAND INTENSIVE CARE

Material: stainless steel

Product number: **I-I12224**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue-grey/ Black                           |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Mono castors                               |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 12                                         |
| Load capacity per hook (kg):   | 5                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12225**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue-grey/ Black            |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 4                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | Screw height adjustment     |
| Maximum length/height:         | 2,450                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Mono castors                |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 8                           |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I12226**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue-grey/ Black            |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 6                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | Screw height adjustment     |
| Maximum length/height:         | 2,450                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Mono castors                |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 12                          |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I13112**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Unweighted                                 |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 13                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)



**GUTE BELASTBARKEIT**  
Gesamtbelastbarkeit: 13,5 kg

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-STAND INTENSIVE CARE

Material: stainless steel

Product number: **I-I13122**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Unweighted                                 |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 13                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 5,3 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

**Material: stainless steel**

**Product number: I-I13212**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

**Material: stainless steel**

**Product number: I-I13214**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | One-hand height adjustment                 |
| Maximum length/height:         | 2,350                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 20                                         |
| Load capacity per hook (kg):   | 5                                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Economy

### Safety

## IV-POLE INTENSIVE CARE

**Material: stainless steel**

**Product number: I-I13216**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue                        |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 6                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | One-hand height adjustment  |
| Maximum length/height:         | 2,350                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Apparatus castors           |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 12                          |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

**Material: stainless steel**

**Product number: I-I13222**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

**Packaging unit: Unit**

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,17 m |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- attractive appearance through an innovative base design
- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I13224**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Field of application:          | Intensive Care                             |
| Material:                      | Stainless steel                            |
| Colour of plastic parts:       | Blue                                       |
| Bottle Holder:                 | Stainless steel to screw in, bottle holder |
| Number of hooks:               | 4                                          |
| Arrangement of the hooks:      | 90° to each other                          |
| Type of height adjustment:     | Screw height adjustment                    |
| Maximum length/height:         | 2,450                                      |
| Minimum length/height:         | 1,500                                      |
| Inner tube diameter:           | Ø 18 mm                                    |
| Outer tube diameter:           | Ø 25 mm                                    |
| Length of outer tube:          | 1,200                                      |
| Base leg profile:              | 45 x 25 mm                                 |
| Base weight:                   | Weighted                                   |
| Base diameter (mm):            | Ø 680 mm                                   |
| Castors:                       | Apparatus castors                          |
| Castor diameter:               | Ø 75 mm                                    |
| Drip vessel sterilizable:      | Yes                                        |
| Total load capacity (kg):      | 21                                         |
| Load capacity per system (kg): | 8                                          |
| Load capacity per hook (kg):   | 2                                          |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,47 m |
| Weight Box1 | 9,1 kg |

## Product highlights



**HOHE BELASTBARKEIT**  
Gesamtbelastbarkeit: 21 kg



**BEST HYGIENIC PROPERTIES**  
stainless steel (1.4301)

## Information

### Advantages

- Effective infusion care by securely hanging infusion bottles and bags
- Mobile and flexible application possibilities

### Technology

### Economy

### Safety

### Application

## IV-POLE INTENSIVE CARE

Material: stainless steel

Product number: **I-I13226**

|                                |                             |
|--------------------------------|-----------------------------|
| Field of application:          | Intensive Care              |
| Material:                      | Stainless steel             |
| Colour of plastic parts:       | Blue                        |
| Bottle Holder:                 | Stainless steel, bottle bar |
| Number of hooks:               | 6                           |
| Arrangement of the hooks:      | In line with each other     |
| Type of height adjustment:     | Screw height adjustment     |
| Maximum length/height:         | 2,450                       |
| Minimum length/height:         | 1,500                       |
| Inner tube diameter:           | Ø 18 mm                     |
| Outer tube diameter:           | Ø 25 mm                     |
| Length of outer tube:          | 1,200                       |
| Base leg profile:              | 45 x 25 mm                  |
| Base weight:                   | Weighted                    |
| Base diameter (mm):            | Ø 680 mm                    |
| Castors:                       | Apparatus castors           |
| Castor diameter:               | Ø 75 mm                     |
| Drip vessel sterilizable:      | Yes                         |
| Total load capacity (kg):      | 21                          |
| Load capacity per system (kg): | 12                          |
| Load capacity per hook (kg):   | 2                           |

## Packaging dimensions

Packaging unit: Unit

|             |        |
|-------------|--------|
| Width Box1  | 0,22 m |
| Height Box1 | 0,12 m |
| Length Box1 | 1,46 m |
| Weight Box1 | 9,1 kg |

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

[www.provita.nt-rt.ru](http://www.provita.nt-rt.ru) | | [pia@nt-rt.ru](mailto:pia@nt-rt.ru)