

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Пермь (342)205-81-47	Тверь (4822)63-31-35
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Рязань (4912)46-61-64	Томск (3822)98-41-53
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Самара (846)206-03-16	Тула (4872)33-79-87
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сочи (862)225-72-31	Челябинск (351)202-03-61
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Чита (3022)38-34-83
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81		Тамбов (4752)50-40-97	Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru | pia@nt-rt.ru

Технические характеристики на лампы для осмотра серии 1-100, 2, 5 компании PROVITA

Виды товаров: лампы для осмотра передвижные, потолочные, с шарнирным рычагом, с подпружиненным двухшарнирным рычагом, гибкие, пружинные, светодиодные источники света, светильники с выключателем, галогеновые, комбинированные лампы и др.

Series 1



All around examination lamp

The right choice for bright light
and glare-free illumination.



LED Perfectly focused illumination

Light output > 55,000 Lux / 500 mm

Light colour approx. 4,300 K $\pm$ 200

Light field diameter D10 100 mm at
500 mm

Electrical mains 100–240 V, 50–60 Hz




HALOGEN The economical alternative

Light output approx. 28,500 Lux /
500 mm

Light colour approx. 3,000 K

Light field diameter D10 90 mm at
500 mm

Electrical mains 230 V, 50–60 Hz



TWIN VERSION Switch between examination lamp and reading lamp

Light output approx. 28,500 Lux / 500
mm (examination lamp), approx. 2,500
Lux / 500 mm (reading lamp)

Light colour approx. 3,000 K

Light field diameter D10 90 mm at 500
mm (examination lamp), 350 mm at 500
mm (reading lamp)

Electrical mains 230 V, 50–60 Hz

Series 1
Examination lamp



Made in
Germany

Upon request: Dimmer / international plug / 110 V version
Many mounting options and further accessories starting on page 36.

Series 1
Basic version



**GOOSENECK
ARM LAMP**
Flexible positioning

Working radius approx. 800 mm

Total weight approx. 2.6 kg

Fixture pin Ø 18, L 35 mm

With spring balance joint

LED L100041A

Without spring balance joint

LED L100011A

Halogen L100005A

Twin version L100006A



**DOUBLE-JOINT
ARM LAMP**
Large projection

Working radius approx. 1,100 mm

Total weight approx. 2.9 kg

Fixture pin Ø 18, L 35 mm

With spring balance joint

LED L100081A

Halogen L100080A

Twin version L100082A

Without spring balance joint

Halogen L100061A

Twin version L100064A



**JOINT
ARM LAMP**
Simple and save

Working radius approx. 800 mm

Total weight approx. 2.8 kg

Fixture pin Ø 18, L 35 mm

With spring balance joint

LED L100031A

Halogen L100030A

Twin version L100032A

Without spring balance joint


LED L100024A

Halogen L100020A

Twin version L100019A



Series 1
Mobile lamps



Pole
(S000803A)
see accessories
p. 36



Stand
(S011820A)
see accessories
p. 36

**MOBILE LAMP
ON A FIXED-HEIGHT STAND**
**Versatile and
stable**

Pole height with base approx. 1080 mm

Total weight approx. 7.8 kg

Fixture pin Ø 18, L 35 mm

**MOBILE LAMP
ON A HEIGHT-ADJUSTABLE STAND**
**Flexible and
height adjustable**

Working radius approx. 800 mm

Total weight approx. 10.6 kg

Fixture pin Ø 18, L 35 mm

Gooseneck arm

LED L111111A

Halogen L111105A

Twin version L111106A

**Spring balance
gooseneck arm**

LED L111141A

Halogen L111141A

Twin version L111136A

Gooseneck arm

LED L121111A

Halogen L121105A

Twin version L121106A

**Spring balance
gooseneck arm**

LED L121141A

Halogen L121135A

Twin version L121135A

Double-joint arm

Halogen L111161A

Twin version L111164A

**Spring balance
double-joint arm**

LED L111181A

Halogen L111180A

Twin version L111182A

Double-joint arm

LED L121171A

Halogen L121161A

Twin version L121164A

**Spring balance
double-joint arm**

LED L121181A

Halogen L121180A

Twin version L121182A

Joint arm

LED L111124A

Halogen L111120A

Twin version L111119A

Spring balance joint arm

LED L111131A

Halogen L111130A

Twin version L111132A

Joint arm

LED L121124A

Halogen L121120A

Twin version L121119A

Spring balance joint arm

LED L121131A

Halogen L121130A

Twin version L121132A

Series 1
Children lamps



CHILDREN LAMP
Bright colours
illuminate the stay

Working radius approx. 800 mm

Total weight approx. 7.8 kg

Fixture pin Ø 18, L 35 mm

Halogen L111120K



Series 1
Wall and ceiling lamps



**Please order
cover separately**

WALL MOUNTED LAMP
Space saving

Pivoting radius of lamp approx. 1,100 mm

Total weight approx. 3.2 kg

Angle of rotation approx. 330°

LED L140080A

Halogen (switch is in handle) L140066A

CEILING MOUNTED LAMP
Maximum ground clearance

Pivoting radius of lamp approx. 1,100 mm

Total weight approx. 6.7 kg / 7.2 kg / 7.7 kg

Angle of rotation approx. 370°

Length of ceiling stem 500 mm / 750 mm / 1,000 mm

For 2.5 m room height

LED L125080A

Halogen (switch is in handle) L125067A

For 2.7 m room height

LED L127080A

Halogen (switch is in handle) L127067A

For 3.0 m room height


LED L130080A

Halogen (switch is in handle) L130067A

optional:

110 V version / twin version

Series 1
Ceiling lamps



**COVER
FOR CEILING LAMP**

Cover for Series 1

Diameter 320 mm

Z2K0679A

**SUBSTRUCTURE
FOR CEILING MOUNTING**

Also for suspended ceilings

With our substructure you have the possibility to connect our lamps of the series 1 & 5 to almost every ceiling. The type of fastening must be determined by the customer.

Our product consultants and technicians will be glad to assist you in clarifying all technical details.



**Please order ceiling mounting plates
& cover separately.**

Series 2



The decent examination & reading lamp

Compact solution
for variable use.



LED
Highly efficient &
perfectly focused

Light output > 23,300 Lux / 500 mm

Light colour approx. 4,000 K

Light field diameter D10 220 / 425 mm
at 500 / 1,000 mm

Electrical mains 90 – 260 V, 50 – 60 Hz



HALOGEN
Proven &
brilliant

Light output approx. 21,500 Lux /
500 mm

Light colour approx. 3,000 K

Light field diameter D10 140 / 340 mm
at 500 / 1,000 mm

Electrical mains 230 V, 50 – 60 Hz

Series 2
Examination lamps & reading lamps



Made in
Germany

Upon request: Dimmer / international plug / 110 V version
Many mounting options and further accessories starting on page 36.



DOUBLE-JOINT ARM LAMP

**Large
projection**

Projection of the lamp approx. 1,100 mm

Total weight approx. 2.45 kg

Fixture pin Ø 18, L 35 mm



GOOSENECK ARM LAMP

**Flexible
positioning**

Projection of the lamp approx. 800 mm

Total weight approx. 2.2 kg

Fixture pin Ø 18, L 35 mm

With spring balance joint

LED L210215A

Halogen L210211A

LED L220216A

Halogen L220212A


Without spring balance joint*

LED L210216A

Halogen L210212A



* With the spring balance joint,
the lamps are positioned even
more comfortably.



Pole
(S000803A)
see accessories
p. 36

MOBILE LAMP ON A FIXED-HEIGHT STAND

**Versatile and
stable**

Projection of the lamp approx. 800 mm

Total weight approx. 7.5 kg

Fixture pin Ø 18, L 35 mm



Stand
(S011820A)
see accessories
p. 36

MOBILE LAMP ON A HEIGHT-ADJUSTABLE STAND

**Flexible and
height adjustable**

Projection of the lamp approx. 800 mm

Total weight approx. 7.5 kg

Fixture pin Ø 18, L 35 mm

Stand with gooseneck arm

LED L220226A

Halogen L220222A

Stand with double-joint arm

LED L210226A

Halogen L210222A

Stand with spring balance double-joint arm*

LED L210225A

Halogen L210221A

Stand with gooseneck arm

LED L220236A

Halogen L220232A

Stand with double-joint arm

LED L210236A

Halogen L210232A


Stand with spring balance double-joint arm*

LED L210235A

Halogen L210231A

Fixed and height adjustable stand as singular item on page 36:

Series 5



Our largest examination lamp

Highest light quality,
exactly where needed.



LED
Temperature monitored
LED control

Light output ~ 80,000 Lux / 1,000 mm*

Light colour approx. 4,500 K

Luminous flux 840 lm

Colour rendering index RA 94

Dimming levels 50 % / 65 % / 85 % /
100 %

**Keypad with dimmer switch and
control light**

Adjustable light intensity through a
four-stage dimming function



Series 5
Large examination lamp



+ compact,
maintenance-free,
central lighting unit

+ easily removable,
sterilisable handle

+ shadow and
glare-free in the
working area

+ flexible
positioning
& true to position

Version without dimmer

approx. 60,000 Lux / 720 lm





MOBILE EXAMINATION LAMP **Flexible use at any time**

Pivoting radius approx. 950 mm

Height adjustment approx. 1,000 mm


Total weight approx. 18.0 kg

With dimmer L511120A

With UPS L511125A

Without dimmer L511130A

Optional: with UPS
(uninterrupted power supply)



WALL MOUNTED EXAMINATION LAMP **True to position through cardanic**

Pivoting radius approx. 1,750 mm

Height adjustment approx. 1,000 mm

Total weight approx. 19.0 kg

With dimmer L540066A

Without dimmer L540076A

+ High-Light-quality, temperature-monitored "OSRAM LEDs" generate the primary light with very high colour rendering, long service life and consistent light quality.

+ Flexible positioning due to true position cardan suspension with integrated weight compensation.

Series 5
Large examination lamp



**CEILING MOUNTED
EXAMINATION LAMP**
Comfortable controllable

Pivoting radius approx. 1,750 mm

Height adjustment approx. 1,000 mm

Total weight approx. 19.0 kg / 21.0 kg / 23.0 kg / 25.0 kg

For 2.5 m room height

With dimmer L525067A

Without dimmer L525077A

For 2.7 m room height

With dimmer L527067A

Without dimmer L527077A

For 3.0 m room height

With dimmer L530067A

Without dimmer L530077A

For 3.3 m room height


With dimmer L533067A

Without dimmer L533077A



The type of the ceiling lamp fastening must be determined by the customer. To clarify all technical details we would like to ask you to provide us with a sectional sketch of the room in the event of a project.

Our product consultants and technicians will be glad to assist you.



optional:

with ceiling mounting plate

Cover for ceiling lamp



Please order cover separately
(Item no. Z2K0689A)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru | | pia@nt-rt.ru