

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

[www.provita.nt-rt.ru](http://www.provita.nt-rt.ru) | [pia@nt-rt.ru](mailto:pia@nt-rt.ru)

# Каталог продукции на инфузионные стойки и принадлежности компании PROVITA

**Our infusion holders  
have a lot in common  
in all variations  
of our models:**

**They are all measured  
by high safety and hygiene  
standards. They are robust,  
stable and steadfast.  
Easy to clean and  
easy to handle.**

**They can be used almost anywhere and are  
the perfect product for every requirement.**



## The provita Infusion stands



mobile

robust

hygienic

**We offer state-of-the-art solutions  
for a variety of applications**

## Infusion stands

### Contents



#### Normal care unit

IV pole for the daily patient care



#### Intensive Care Unit/Pump Carrier

High-quality infusion stands for use in intensive care medicine



#### OP

OP-compatible infusion stands with welded base construction



#### MRI

MRI approved infusion stands for use in magnetic resonance environments



#### Urology

Special IV poles for the urology care unit



#### Children's care unit

Infusion stands in child-friendly design



#### Home care

Infusion stands for use in private environments



#### Infuboy

For large movement radius



#### Accessories

Practical accessories for all IV pole series



#### Infusion stands

Infusion stands with adaptations to beds, operating tables or walls



#### Hygiene centre

Hygiene centres offer mobile hygiene directly on site



#### SAM


The transfer chair for many applications



#### Treatment furniture

Versatile furniture for doctor practices and clinics

## Normal care unit



# The best infusion stands for the daily patient care

The proven solution for  
normal hospital operation.

### INFUSIONS STANDS For the normal care unit



Stainless steel  
(1.4301)  
for best hygienic  
properties



High-gloss  
chrome-plated,  
3-layer system



Bottle holders  
according the  
standards



High quality  
castors

**Material** Chrome-plated steel /  
Stainless steel

**Castors** Twin castors /  
Single castors

**Height adjustment** Screw system or  
Single-handed system



Medical device  
tested according to  
DIN EN 60601



Shipping optimized  
packaging (up to  
100 pieces on one  
pallet)




Short assembly  
time, only 2 – 3  
minutes (base  
assembly with only  
one screw)



Many different  
configurations

Normal care unit  
Infusion stands



up to 121°  
sterilisable  
drip glass

+ different  
options

+ with  
aquastop

+ tilt proof  
& space saving



Here you see two configurations  
of the height adjustment (screw &  
single-handed – the original)

 Made in  
Germany



## Normal care unit

Infusion stands



Different bottle holders

**I-N41221**

**Our recommendation  
for the normal care unit**

Total weight approx. 6.1 kg

Base diameter 635 mm

Easy  
to configure

I-N a) b) c) d) e)

Material / colour	a)	Height adjustment	d)
Stainless steel / blue	1	Single-handed (2.2 kg)* (max. extension 2,150 mm)	1
Chrome-plated steel / blue	4	Screw (4.5 kg)* (max. extension 2,150 mm)	2
Castors	b)	Bottle holder	e)
Twin castors 50 mm	1	Plastic 2.0 kg / hook	1
Single castors 80 mm	2	Stainless steel to screw in 2.0 kg / hook	2
		Stainless steel to plug in 2.0 kg / hook	3
Base weight	c)		
Non weighted approx. 2.2 kg*	1		
Weighted approx. 4.5 kg*	2		

\* Series I-N, non weighted, only suitable for use with gravity infusion



## Normal care unit

Infusion stands



normal

100 %  
(2.48 m<sup>2</sup>)



ECO-MOVE

61 %  
(1.30 m<sup>2</sup>)



ECO-SPACE

47.5 %  
(0.96 m<sup>2</sup>)

Here you can see how space-saving our ECO models can be stored.

## ECO-MOVE Stumble-free manoeuvrability

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm

**Base weight** 4.7 kg

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,330 mm – 2,200 mm

**Total weight** 6.8 kg

**Base dimension** 595 × 620 mm

I-S14212



Please order pushing handle separately (Z-ECO001)

## ECO-SPACE Space-saving base construction

**Material** Chrome-plated steel / Stainless steel

**Castors** Single castors Ø 75 mm

**Base weight** 2.25 kg

**Height adjustment** Screw or single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range**

Single-handed system approx. 1,290 mm – 2,130 mm

Screw system approx. 1,350 mm – 2,220 mm

**Total weight** 3.5 kg

**Base diameter** 590 mm

### Stainless steel

Single-handed system I-S12112

### Chrome-plated steel

Screw height adjustment I-S42122



## Normal care unit

### Infusion stands



## LOW-GRAVITY

### Extremely low centre of gravity for tilt resistant movement

**Material** Chrome-plated steel

**Castors** Twin castors Ø 75 mm

**Base weight** 6.0 kg

**Height adjustment** Single-handed system


**Bottle holder** Plastic 4 hooks – 2.0 kg / hook

**Regulating range** approx. 1,425 mm – 2,140 mm

**Total weight** approx. 7.6 kg

**Base diameter** 600 mm

I-L11112



## NIGHT LINE

### Fluorescence eases night care

**Material** Chrome-plated steel

**Castors** Twin castors Ø 50 mm

**Base weight** 1.9 kg

**Height adjustment** Screw system

**Bottle holder** Plastic 4 hooks – 2.0 kg / hook

**Regulating range** approx. 1,170 mm – 2,020 mm


**Total weight** approx. 3.9 kg

**Base diameter** 635 mm

I-NL1121



## Intensive care unit



# The high-quality infusion stands for intensive care units

Mobile solutions  
for intensive care medicine.

### INFUSION STANDS For the intensive care unit



Stainless steel  
(1.4301) for best  
hygienic properties



Loadable solution,  
up to 50 kg depend-  
ing on model



Bottle holders  
according to the  
standards

**Material** Stainless steel / Aluminium

**Castors** Twin castors / Single castors


**Height adjustment** Screw system or  
Single-handed system



High quality,  
low- noise castors



Medical device  
tested according to  
DIN EN 60601



Shipping optimized  
packaging (up to  
100 pieces on one  
pallet)

**Intensive care unit**  
Infusion stands



## Intensive care unit

Infusion stands



**DIN EN 60601**  
3rd Edition



**SUITABLE FOR**  
electro-medical  
devices

**13.5** kg  
load capacity



**weighted version with**  
**blue-grey plastic parts**

**21** kg  
load capacity

### I-I12212

#### Our recommendation for the intensive care unit

**Regulating range** approx. 1,500 mm – 2,210 mm

**Total weight** approx. 8.6 kg (with drip glass and holder)

**Base diameter** 680 mm

**Length of outer tube** 1,200 mm

Easy to  
configure

**I-I** a) b) c) d) e)

#### Material / colour

Stainless steel / blue

a)

**1**

#### Height adjustment

**Single-handed** (max. extension 2,210 mm)

**Screw** (max. extension 2,270 mm)

d)

**1**

**2**

#### Castors

**Single castors** 80 mm

**Apparatus castors** 75 mm

b)

**2**

**3**

#### Bottle holder

e)

**Plastic** 2.0 kg / hook

**Stainless steel to screw in** 2.0 kg / hook

**Stainless steel to plug in** 2.0 kg / hook

**Stainless steel to screw in** 5.0 kg / hook

**Bottle bar** 4 hooks\*

**Bottle bar** 6 hooks\*

**1**

**2**

**3**

**4**

**5**

**6**

#### Base weight

c)

**Non weighted** approx. 2.6 kg

**Weighted** approx. 6.5 kg

**1**

**2**

\* for models with  
weighted base only

## Intensive care unit

### Premium Care



#### I-PRE001

### High load capacity (weighted base)

**18** kg  
load capacity

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,520 mm – 2,295 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 18 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 8.9 kg

**Total weight** 11 kg

**With twin castors** I-PRE001

**With apparatus castors** I-PRE011



#### I-PRE002

### Good load capacity (non-weighted base)

**13** kg  
load capacity

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,465 mm – 2,180 mm

**Base leg profile** Ø 25 mm

**Load capacity** 13 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 4.9 kg

**Total weight** 7 kg

**With twin castors** I-PRE002


**With apparatus castors** I-PRE012




**All versions available with  
twin castors or apparatus castors**

## Intensive care unit

### Premium Care



**Stainless steel  
screw height  
adjustment**



**With Softdrop system!**



**All versions available with  
twin castors or apparatus  
castors**

**I-PRE003**  
**Very high  
load capacity**



**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Screw system with Softdrop feature

**Bottle holder** Stainless steel 4 hooks – 5.0 kg/hook

**Regulating range** 1,430 mm – 2,260 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 32 kg

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,200 mm

**Base diameter** 630 mm

**Base weight** 8.9 kg

**Total weight** 12 kg

**With twin castors** I-PRE003

**With apparatus castors** I-PRE013



**High-quality anodized  
special coating to prevent  
paint from coming off**

**Recommended accessories for  
Premium Care (see p. 50)**



## Intensive care unit

### Premium Care



#### I-PRE004

##### Best hygienic properties due to round base legs



**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 75 mm / Apparatus castors Ø 75mm

**Height adjustment** Single-handed system

**Bottle holder** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,520 mm – 2,225 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 13 kg

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,200 mm


**Base diameter** 630 mm

**Base weight** 4.7 kg

**Total weight** 7 kg

**With twin castors** I-PRE004

**With apparatus castors** I-PRE014



With curved arms

#### PUMP CARRIER I-PRE100

##### Ideal operability due to curved base legs



**Material** Stainless steel / Aluminium

**Castors** Apparatus castors Ø 75mm

**Height adjustment** Screw system

**Bottle bar** Stainless steel 4 hooks – 2.0 kg/hook

**Regulating range** 1,835 mm – 2,100 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 45 kg

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,500 mm


**Base diameter** 660 / 844 mm

**Total weight** 16 kg

I-PRE100

## Intensive care unit

### Gravity infusion stand



## DÜSSELDORF UNIVERSITY MODEL

### Stable base construction



**Regulating range** approx. 1,490 mm – 2,250 mm

**Tube diameter** Ø 33,7 / Ø 25 mm

**Length of outer tube** 1,300 mm

**Base diameter** 680 mm

**Total weight** approx. 10 kg

**Base weight** 6.6 kg

Easy  
to configure

I-D a) b) c) d) e)

#### Material / colour

Stainless steel

a)

0

#### Height adjustment

Screw system with Softdrop feature

d)

2

#### Castors

Single castors 80 mm

b)

2

Apparatus castors 75 mm

3

#### Bottle holder

e)

Stainless steel to plug in  
2.0 kg / hook

3

Stainless steel to screw in  
5.0 kg / hook

4

#### Base weight


c)

Non weighted

1

## Intensive care unit

Device carrier for heavy loads



I-PO2226



I-PA2226



I-PB2226

## ISP UNITS

### Twist-proof stand construction

**Material** Stainless steel / Aluminium

**Castors** Twin castors Ø 125 mm / Single castors Ø 80 mm

**Height adjustment** Screw system (anti-twist)

**Bottle bar** Stainless steel 6 hooks – 2.0 kg / hook

**Regulating range** approx. 1,710 mm – 2,240 mm

**Total weight** approx. 25 kg

**Tube diameter** Ø 38 mm / SQR 25 mm

**Length of outer tube** 1,420 mm

**Base diameter** 860 mm



**anti-twist due to square inner tube**

**Twin castors**  
(max. load 50 kg)



**Single castors**  
(max. load 25 kg)



**Base model** I-P02226

**With 5 equipment rails** I-PA2226

**With pump holder frame** I-PB2226

**Base model** I-P02227

**With 5 equipment rails** I-PA2227

**With pump holder frame** I-PB2227

OR



# The hygiene-friendly infusion stands for the operating theatre

The solution for the  
highest demands.

## INFUSION STANDS For the operating theatre



Stainless steel  
(1.4301) for  
best hygienic  
properties



Seamless base  
construction,  
electro-polished  
surface



Loadable solution,  
up to 30 kg  
depending on  
model

**Material** Stainless steel

**Castors** Twin castors / Single castors

**Height adjustment** Screw system or  
Single-handed system



**Medical device  
tested according to  
DIN EN 60601**





## I-012112

### Our recommendation for the operating theatre

**Height adjustment** Screw system or  
Single-handed system

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,000 mm

**Total weight** approx. 3.6 kg

**Base weight** 1.9 kg

**Base diameter** 635 mm

Easy  
to configure

I-O a) b) c) d) e)

#### Base leg profile

a)

30 × 15 mm

1

#### Castors

b)

Twin castors 50 mm

1

Single castors 80 mm

2

#### Base weight

c)

Non weighted (1.9 kg)

1

Weighted (4.3 kg)

2

#### Height adjustment

d)

Single-handed  
(max. extension 2,150 mm)

1

Screw (max. extension 2,150 mm)

2

#### Bottle holder

e)

Stainless steel to screw in  
2.0 kg / hook

1



## I-023232

### The OR heavy-duty alternative



**Height adjustment** Screw system or  
Single-handed system

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,200 mm

**Total weight** approx. 14.3 kg

**Base weight** 11 kg

**Base diameter** 635 mm

Easy  
to configure

I-O a) b) c) d) e)

#### Base leg profile

a)

45 × 25 mm

2

#### Castors

b)

Twin castors 75 mm

3

#### Base weight

c)

Weighted (11 kg)

2

#### Height adjustment

d)

Single-handed

(max. extension 2,250 mm)

1

Stainless steel screw system  
with Softdrop feature

(max. extension 2,270 mm)

3

#### Bottle holder


e)

Stainless steel to screw in  
2.0 kg / hook

2

Stainless steel to screw in  
5.0 kg / hook

4



## I-OPRE01

### The premium solution for the operating theatre



**Material** Stainless steel

**Castors** Twin castors Ø 75 mm

**Height adjustment** Screw system with Softdrop feature

**Bottle holder** Stainless steel, 4 hooks – 5.0 kg/hook

**Regulating range** 1,475 mm – 2,470 mm

**Base leg profile** Ø 33.7 mm

**Load capacity** 25 kg

**Tube diameter** 33.7 / 25 mm

**Length of outer tube** 1,200 mm

**Base diameter** 680 mm


**Base weight** 8.7 kg

**Total weight** 12 kg





MRI



# The magnetic resonance infusion stands

For the voltage tension  
in medical technology.



## INFUSION STAND For use in the MRI

**Material** Stainless steel / Aluminium

**Castors** Twin castors / Single castors

**Height adjustment** Screw system

MR suitable  
for 1.5 or 3.0 Tesla,  
minimum distance  
to device 30 cm



MR conditional



Short assembly  
time, only 2 – 3  
minutes (base  
assembly with  
only one screw)

**MRI**  
Infusion stands





## I-M12121

### Our recommendation for MRI up to 1.5 Tesla

**Material** Stainless steel

**Castors** Twin castors Ø 50 mm / Single castors Ø 80 mm

**Height adjustment** Screw system

**Bottle holder** Plastic 2.0 kg / hook

**Regulating range** approx. 1,250–2,150 mm

**Tube diameter** 25 / 18 mm

**Length of outer tube** 1,000 mm

**Base leg profile** 30 × 15 mm

**Total weight** approx. 3.6 kg with drip glass and holder

**Base weight** approx. 1.9 kg

**Twin castors** I-M11121

**Single castors** I-M12121



**Arm & leg rest**  
suitable for use  
with MRI  
(Article No.  
S2112013)  
(see p. 67)





further  
MRI-products  
upon request



**MRI INFUSION STAND**  
**For devices up to 3 Tesla**  
**with magnet-free**  
**brass castor pins**

**Material** Aluminium

**Castors** Twin castors Ø 50 mm

**Base weight** 1.4 kg

**Height adjustment** Screw system

**Bottle holder** Plastic 4 hooks – 2.0 kg/hook

**Regulating range** approx. 1,250 – 2,100 mm

**Total weight** approx. 2 kg

**Base diameter** 635 mm

I-M91121

## Urology



# Extra high infusion stands for the urology care unit

For high pressure build-up  
and heavy rinsing solutions.

### INFUSION STANDS For the urology



Stainless steel  
(1.4301) for  
best hygienic  
properties



Extra high  
extension for  
higher pressure  
of rinsing solutions




Medical device  
tested according to  
DIN EN 60601

**Material** Stainless steel

**Castors** Twin castors / Single castors /  
Apparatus castors

**Height adjustment** Screw system





## I-U02224 Very high extension

**Material** Stainless steel

**Castors** Single castors Ø 80 mm

**Base weight** 7.5 kg

**Height adjustment** Stainless steel screw system with Softdrop feature

**Bottle holder** Stainless steel 4 hooks – 5.0 kg/hook

**Regulating range** approx. 1,890 mm – 2,895 mm

**Total weight** 13.2 kg

**Base diameter** 800 mm

I-U02224



## I-U02234 With hydraulic height adjustment

**Material** Stainless steel

**Castors** Twin castors Ø 75 mm

**Height adjustment** manual hydraulic through foot pedal

**Bottle holder** Stainless steel 3 hooks – 5.0 kg/hook

**Regulating range** approx. 1,630 – 2,625 mm

**Total weight** 25 kg

**Base diameter** 654 mm

I-U02234

**manual hydraulic foot pedal system**







**I-U02237**  
**Electric height adjustment  
and long battery life**

**Material** Stainless steel

**Castors** Apparatus castors Ø 75 mm

**Height adjustment** through foot switch

**Bottle holder** Stainless steel 3 hooks – 10.0 kg / hook

**Regulating range** approx. 1,500 mm – 2,650 mm

**Total weight** 36.5 kg

**Base diameter** 550 × 550 mm

back-friendly  
height adjustment  
through foot switch




protection bumpers



I-U02237

## Children's care unit



# The colourful infusion stands for the children's care unit

Multi-coloured combinations that brighten up everyday hospital life.

### INFUSION STANDS For the children's care unit



Colourful figures provide distraction (plane, mouse)



Short assembly time, only 2 – 3 minutes (base assembly with only one screw)



Shipping optimized packaging (up to 100 pieces on one pallet)

**Material** Aluminium / Plastic

**Castors** Twin castors

**Height adjustment** Screw system





## CHILDREN-INFUSION STAND »RAINBOW« In colourful design with figures castors

**Material** Aluminium / Plastic

**Castors** Twin castors

**Base weight** 1.6 kg

**Height adjustment** Screw system

**Bottle holder** Plastic

**Regulating range** 1,275 – 2,100 mm

**Total weight** approx. 3.0 kg

**Base diameter** 635 mm

**Tube diameter** 25 / 18 mm



### With air plane castors

Red, black, yellow I-HA4125

Yellow, blue, green I-HA4130

### With mouse castors


Green, black, yellow I-HA4126



S. children's care unit lamps



Home care



# Infusion stand for care at home

Simply remain mobile.

## INFUSION STAND For the private environment

**Material** Stainless steel / Chrome-plated steel / Aluminium / Plastic

**Castors/bases** Twin castors / non-slip adjustable feet

**Height adjustment** Screw system



Short assembly  
time, only 2 – 3  
minutes (base  
assembly with  
only one screw)



Only for gravity  
infusion




Bottle holders  
according to the  
standards



Shipping optimized  
packaging (up to 100  
pieces on one pallet)





## I-H71121

### Our recommendation for the care at home

**Material** Aluminium

**Castors** Twin castors Ø 50 mm

**Base weight** 1.6 kg

**Height adjustment** Screw system

**Bottle holder** Plastic 4 hooks – 2.0 kg / hook

**Regulating range** approx. 1,250 mm – 2,100 mm

**Total weight** approx. 3.0 kg

**Base diameter** 660 mm

#### Blue

**Stainless steel** I-H11121

**Aluminium** I-H71121

**Chrome-plated steel** I-H41121

#### Black

**Stainless steel** I-H21121

**Aluminium** I-H81121

**Chrome-plated steel** I-H51121

#### Grey

**Stainless steel** I-H31121

**Aluminium** I-H91121

**Chrome-plated steel** I-H61121





## FOLDABLE INFUSION STAND

**Our recommendation  
while in transit**

**Material** Aluminium/Plastic

**Base** non-slip adjustable bases

**Height adjustment** Screw system

**Bottle holder** 2 hooks – 0.5 kg/hook

**Regulating range** approx. 830 mm – 1,780 mm

**Total weight** approx. 2.0 kg

**Load capacity** 1.0 kg

**Transport size** 750 × 100 × 100 mm

**Tube diameter** 20 / 15 / 11 mm

**Base diameter** 680 mm

I-H84132



## TABLE INFUSION STAND

**For ambulatory use**

**Material** Stainless steel/Plastic

**Height adjustment** Screw system

**Bottle holder** Plastic 4 hooks – 2.0 kg/hook

**Regulating range** approx. 510 mm – 730 mm

**Total weight** approx. 3.0 kg

**Base diameter** 305 mm

**Special feature** with 5 short, weighted base leg sections and rubberised anti-slip bases


I4440002



**incl. carrying bag**  
(Bag size: approx. 750 × 100 × 100 mm)

+ especially suitable for rescue  
care services as well as travelling  
patients

Infuboy



# Infusion backpack that creates independence

For movement and grip freedom  
during infusion.

## INFUBOY I-WALK01

**Material** Stainless steel / Polyester

**Height adjustment** Screw system

**Hooks** 2 pieces, 2.0 kg / hook

**Regulating range** 700 – 850 mm

**Dimensions** approx. 350 × 795 mm

**Total weight** 1.6 kg



**Infuboy**  
Infusion backpack

+  
for the patient  
freedom of movement

+ fabric part  
washable at 60°


+  
lightweight  
materials ensure  
high wearing comfort



- + comfortable height adjustment using screw system
- + easy to clean
- + no risk of injury thanks to automatically retracting hooks

- + enables patient to keep both hands free
- + plastic frame without toxic ingredients
- + completely recyclable

## Infusion stands



# The right accessories

To complete and / or modify  
your infusion stand.



### SCREW IN BOTTLE HOLDER

4 hooks M6  
with M10 threaded pin

**Load capacity** 2.0 kg per hook

**Weight** approx. 0.15 kg

**Stainless steel** Z2N06352

**Chrome-plated steel** Z2S06367



### INSERT BOTTLE HOLDER

4 hooks, for infusion stands without  
female thread, for round tube Ø 18 mm

**Load capacity** 2.0 kg per hook

**Material** Plastic

**Weight** approx. 0.06 kg

**Green** Z2K0645G

**Blue** Z2K0645D

**Red** Z2K0645H

**Grey** Z2K0645N

**Black** Z2K0645R



### PLUG IN BOTTLE HOLDER

4 hooks for infusion stands without  
female thread for round tube Ø 18 mm

**Load capacity** 2.0 kg per hook

**Material** Stainless steel

**Weight** approx. 0.15 kg

Z2N06392



## REINFORCED BOTTLE HOLDER

4 hooks M8 with M10 threaded pin  
to screw in a M10 female thread

**Load capacity** 5.0 kg per hook

**Material** Stainless steel

**Weight** approx. 0.2 kg

Z2N06102



## BOTTLE BAR

M6 hooks, M10 threaded pin  
to screw in a M10 female thread

**Load capacity** 2.0 kg per hook

**Material** Stainless steel

4 hooks, length 500 mm Z2N06552

6 hooks, length 600 mm Z2N06542



## INFUSION BOTTLE HOLDER

2 bottle hooks and 2 bottle baskets  
for infusion stands with or without female thread  
for round tube Ø 18 mm

**Load capacity** 2.0 kg per basket or hook

**Weight** approx. 0.4 kg

**Holder with Stainless steel middle section**, for screwing, Stainless steel (hooks)  
Z2N65632

**Holder with Aluminium middle section**, for screwing, chrome-plated (hooks +  
baskets), Z2S65737

**Holder with Plastic middle section**, for plugging in, chrome-plated (hooks + baskets),  
Z2S65837

## IMPORTANT:

We would like to expressly point out that not all bottle holder/bar variants/accessories are suitable for products with a lightweight base construction. For safety reasons, you should take advantage of this opportunity and contact our sales team for advice on 'tilt resistance' and the requirements of DIN EN 60601. Changes to products also jeopardise approval according to DIN EN 60601. We would be pleased to provide you with further information about this.



### PUSHING HANDLE\*

For round tube Ø 25 mm,  
height adjustable through  
2 fixing screws

**Material** Stainless steel / Aluminium

**Colour of fastening clamps** blue

**Weight** approx. 0.55 kg

Z2N07982



### FOLDABLE PUSHING HANDLE\*

For round tube Ø 25 mm

**Material** Stainless steel / Aluminium

**Colour of fastening clamps** blue

**Weight** approx. 0.9 kg

Z2N07952



### ECO MOVE PUSHING HANDLE \*

For round tube Ø 25 mm

**Material** Stainless steel / Aluminium

**Colour of fastening clamps** blue

**Handle protection** on handle ends

Z-ECO001



### PUSHING HANDLE WITH FASTENING KNOB FOR A QUICK RELEASE\*

For round tube Ø 25 mm,  
height adjustable through knob

**Material** Plastic

**Colour** black

**Temperature resistant** up to 60°C

Z2K0698R



### PUSHING HANDLE\*

For round tube Ø 25 mm,  
height adjustable through handwheel

**Material** Stainless steel

**Colour of plastic parts** black

**Weight** approx. 0.4 kg

Z2N06982

**\*Caution:** Pushing handles are not permitted for I-N and I-H series infusion stands.

## Accessories

### Infusion stands



#### RECTANGULAR TRAY\*\*

For round tube Ø 25 mm,  
height adjustable through handwheel  
with an all around safety edge

**Material** Stainless steel / Aluminium

**Size** 315 × 275 mm

**Weight** approx. 2.75 kg

Z2N63422



#### MONITOR TRAY\*\*

Round tube Ø 25 mm  
height adjustable through handwheel  
with lateral safety edge

**Material** Steel, white coated / Aluminium

**Size** 240 × 248 mm

**Weight** approx. 2.75 kg

K2S7043A



#### CIRCULAR TRAY\*\*


For round tube Ø 25 mm  
with circumferential safety edge

**Material** Stainless steel

**Diameter** 370 mm

**Weight** approx. 2.9 kg

Z2N64422



#### TWIN EQUIPMENT RAIL\*

For round tube Ø 25 mm

**Material** Aluminium / Stainless steel

**Weight** approx. 1.3 kg

**Optional** for round tube Ø 33.7 mm /  
Ø 38 mm

**Length of rail** 558 mm

Z2N06932



#### IDENTIFIER SLEEVE

For round tube Ø 25 mm  
to label infusion stands for an  
easier station or room allocation

**Material** Polycarbonate

**Weight** approx. 0.1 kg

H2K0625-



#### COMPACT RAIL (SPLITTED)

For round tube Ø 38 mm

**Material** Aluminium

**Equipment rail** 25 × 10 mm,  
circumferential

**Load capacity** 30.0 kg

**Size** 110 × 110 mm

**Weight** approx. 0.9 kg

Z2N09303

**\*\*Caution:** In general not retrofittable. We will be glad to advice you if required.



## PUMP HOLDER FOR 2 DEVICES\*\*

For round tube Ø 25 mm, height adjustable through handwheel, for infusion pumps and other equipment

**Material** Stainless steel

**Weight** approx. 1.0 kg

Z2N06312




## PUMP HOLDER FOR 4 DEVICES\*\*

For round tube Ø 25 mm, height adjustable through two handwheels, for infusion pumps and other equipment

**Material** Stainless steel

**Weight** approx. 1.2 kg

Z2N06292



## EQUIPMENT RAIL

For retrofitting to round tubes Ø 25 / 38 mm, height adjustable through two fixing screws

**Material** Stainless steel

**Profile** 25 × 10 mm

**Length** 558 mm

**Load capacity** approx. 8.0 kg

**Weight** approx. 0.9 kg

For round tube Ø 25 mm H2N70432

For round tube Ø 33.7 mm H2N70342

For round tube Ø 38 mm H2N70332



## TUBE CLAMP

For fastening accessory to the infusion stand, Ø 25–50 mm

**Material** Aluminium, coated

**Bracket** Ø 18 mm

**Weight** approx. 0.13 kg

**White** Z2N0502A

**Silver** Z2N0502S



## WALL MOUNT

To fasten stands directly on the wall with 4 drilled holes

**Material** Aluminium, white coated

**Bracket** Ø 18 mm / optional for Ø 25 mm

**Size** approx. 80 × 70 × 80 mm

**With threaded pin** Z2N0617A

**\*\*Caution:** In general not retrofittable. We will be glad to advice you this if required.





## MEDICAL APPROVED PLUGBOARD “VARI MED”

Protected against unintentional opening

**Housing material** Aluminium, anodized

**Operating display** green

**Fuse** 2-pole T6, 3AH

**Protective cover** automatic locking, can only be opened with a tool

**Cable supply line** 3 or 5 m (spiral cable 1 – 3 m), with medical plug

**Cable cross section** 1.5 mm<sup>2</sup> / 2.5 mm<sup>2</sup>

**Traceability** by manufacturer date on cable, supply line and connector

**Plug-in slots** 4 or 6, plug rotated 90° with sufficient space

**Fastening** Universal clamp for equipment rail and round tube

**Optional** Antibacterial feed line / plug

### For mobile use (cable size 1,5 mm<sup>2</sup>)

**4-plug** Z2K06384

**4-plug**, dual fused, 3 m cable supply Z2K07014

**4-plug**, dual fused, 5 m cable supply Z2K07015

**4-plug**, spiral cable Z2K07024

**4-plug**, dual fused, spiral cable Z2K07034

**6-plug**, 3 m cable supply Z2K06394

**6-plug**, dual fused, 5 m cable supply Z2K07114

**6-plug**, dual fused, 3 m cable supply Z2K07124

### For medical fixed installations (cable size 2,5 mm<sup>2</sup>)

**4-plug** Z2K07044

**4-plug**, dual fused Z2K07054

### For medical fixed installations (cable size 2,5 mm<sup>2</sup>) with connection possibility for grounding

**4-plug**, dual fused, 2.5 mm<sup>2</sup>, 1.5 m, 4 × PE-connections, PE-connection lead: 4 mm<sup>2</sup>, 4 m Z2K07104

### For mobile use (cable size 1,5 mm<sup>2</sup>) with connection possibility for grounding

**4-plug**, dual fused, 1.5 m, 4 × PE-connections, PE-connection lead: 4 mm<sup>2</sup>, 4 m Z2K07064

**4-plug**, dual fused, 3 m, 4 × PE-connections, PE-connection lead: 4 mm<sup>2</sup>, 4 m Z2K07074

**4-plug**, dual fused, 5 m, 4 × PE-connections, PE-connection lead: 4 mm<sup>2</sup>, 4 m Z2K07084

**4-plug**, dual fused, spiral cable 1-3 m, 4 × PE-connections, PE-connection lead: 4 mm<sup>2</sup>, 4 m Z2K07094



### For vertical & horizontal mounting

## Accessories with quick hand fastener

for attachment on round tubes Ø 25 – 33.7 mm  
(colour of handle: blue-grey)



### DRAINAGE HOLDER 2 HOOKS

**Material** Stainless steel / Aluminium

**Distance between hooks** 160 mm

**Load capacity** 2.0 kg / hook

**Weight** approx. 0.5 kg

Z-PRE001



### BOTTLE HOLDER 2 HOOKS

**Material** Stainless steel / Aluminium

**Total length** 460 mm

**Load capacity** 1.0 kg / hook

**Weight** approx. 0.7 kg

Z2N6661S




### PUSHING HANDLE\*

**Material** Stainless steel / Aluminium

**Weight** approx. 0.55 kg

Z-PRE006



### STORAGE BASKET

**Material** Stainless steel / Aluminium

**Size** 300 × 200 × 100 mm

**Weight** approx. 0.5 kg

Z-PRE005



### PUMP HOLDER FOR 2 DEVICES

**Material** Stainless steel / Aluminium

**Load capacity** 5.0 kg (2.5 kg ea. side)

**Weight** approx. 0.95 kg

Z-PRE002



### EQUIPMENT RAIL

**Material** Stainless steel / Aluminium

**Size** 25 × 10 × 500 mm

**Load capacity** 5.0 kg (2.5 kg ea. side)

**Weight** approx. 0.7 kg

Z-PRE004



### TRAY

**Material** Stainless steel / Aluminium

**Size** 310 × 250 mm

**Weight** approx. 1.6 kg

Z-PRE003

**\*Caution:** Pushing handles are not permitted for I-N and I-H series infusion stands.

# Find out more **SAM** *sit and move*

starting on page 58



## Infusion stands

# Infusion poles

For a safe adaptation to beds,  
operating tables or walls.



### WALL STANDS

**Material** Stainless steel / Aluminium

**Bottle holder** Stainless steel 4 / 3 hooks – 2.0 kg / hook

**Height adjustment** Screw system

**Regulating range** approx. 730 – 1,040 mm / approx. 540 – 845 mm

**Tube diameter** 25 / 18 mm

**Inner tube** 2 × 90° bent / straight

**Projection** 200 mm

**Wall holders** 2 pieces with 2 holes each for M6 countersunk screws (screws are not included)

**Total weight** approx. 2.0 kg incl. drip glass and glass holder

**Angled** I-WAND01

**Straight** I-WAND02



### WALL IV HOLDER

**Material** Stainless steel / Aluminium

**Tube diameter** 18 mm, pivotable

**Carrier arm length** 400 mm

**Bottle hooks** adjustable – 2.0 kg / hook

**Weight** approx. 0.8 kg

I-WAND03

## INFUSION POLE Without adaption element

**Material** Stainless steel / Chrome-plated steel

**Bottle holder** Stainless steel 4 hooks – 2.0 kg / hook

**Height adjustment** Single-handed system


**Regulating range** approx. 1,080 mm – 1,680 mm

**Tube diameter** 25 / 18 mm

**Weight** approx. 2.1 kg / approx. 1.6 kg

**Stainless steel** with plastic end cap I1000702

**Chrome-plated steel** with plastic end cap I1000707



## With adaptation element

**For beds:**

Ø 27 × L 180 mm



**Stainless steel** I1000302

**Chrome-plated steel** I1000307



## With ball joint

**For tilting and laying tables:**

with universal clamp to attach on different rail profiles and round tubes, stepless inclinable up to 30° in all directions

**Stainless steel with 2 hooks (90°)** I1000232

**Stainless steel with 4 hooks** I1000252



## INFUSION HOLDER For bed lifting pole

**Material** Plastic

**Colour** white

**Suitable** for oval tubes 32 mm

**Bottle hooks** 4 safety hooks – 2.0 kg / hook

Z2K0646A

## INFUSION BOTTLE HOLDER For bed lifting pole

**Material** Stainless steel / Aluminium

**Suitability** for oval and round tube profiles

**Bottle bar** 4 hooks – 2.0 kg / hook

**Length of bottle bar** 490 mm

**Locking** Double clamp with handwheel

Z2N09072

\*Further adapters and OEM stands upon request

Hygiene centre



# Hygiene wherever is needed

The mobile hygiene station from provita medical provides easy access to hygiene where needed.



**Individual  
design**



**Stainless steel  
(1.4301) for best  
hygienic properties**



**Can be mounted  
without tools**



**Modifiable**



Fully equipped  
(19 kg total weight)

Blue S02512PB

Yellow S025120I

Silver S025120S





## Accessories for your hygiene centre



### ROLLER BASE WITH POLE

**Material** Stainless steel

**Carrier tube** L 1,500 mm, Ø 33.7 mm

**Base Ø** 630 mm

**Castors** Mono Ø 80 mm

**Blue** S07501PB

**Yellow** S075012I

**Silver** S075012S



### GLOVE BOX HOLDER 3-fold

**Material** Aluminium, coated

**Size** 390 × 260 × 100 mm

**Fastening** Quick-release fastener

**Weight** approx. 1.5 kg

**Blue** Z2N655PB

**Yellow** Z2N6552I

**Silver** Z2N6552S



### GLOVE BOX HOLDER 2-fold

**Material** Aluminium, coated

**Size** 280 × 270 × 100 mm

**Fastening** Quick-release fastener

**Weight** approx. 1.3 kg

**Blue** Z2N658PB

**Yellow** Z2N6585I

**Silver** Z2N6585S



### TRAY

**Material** Stainless steel / Aluminium

**Size** 310 × 250 mm

**Blue** Z2N075PB

**Yellow** Z2N0754I

**Silver** Z2N0754S



### LARGE STORAGE BASKET

**Material** Stainless steel / Aluminium

**Size** 460 × 460 × 150 mm

Z2N65842



### SMALL STORAGE BASKET

**Material** Stainless steel / Aluminium

**Size** 300 × 200 × 100 mm

**Blue** Z2N659PB

**Yellow** Z2N6583I

**Silver** Z2N6583S





## STORAGE BOX

2 closed individual containers

**Material** Stainless steel / Aluminium

**Size** approx. 450 × 220 × 200 mm  
(single box)

**Fastening** Universal clamp

Z2N67142



## GLOVE BOX HOLDER

3-fold adjustable

**Material** Stainless steel

**Size** approx. 400 × 210 (265) × 120 mm  
(H×W×D)

**Fastening** Quick-release fastener

**Weight** 2.3 kg

**Blue** Z2N656PB

**Yellow** Z2N6560I

**Silver** Z2N6560S



## DRIP BOWL

2 Litre

**Material** Stainless steel / Aluminium

**Size** 300 × 200 × 100 mm

**Blue** Z2N061PB

**Yellow** Z2N0616I

**Silver** Z2N0616S



## DISINFECTANT DISPENSER

500 ml, with long lever

**Material** Aluminium

**Blue** Z2N657PB

**Yellow** Z2N6586I

**Silver** Z2N6586S



## DISINFECTANT DISPENSER

500 ml,  
with long lever and plastic tray

**Material** Aluminium

**Blue** Z2N660PB

**Yellow** Z2N6588I

**Silver** Z2N6588S

SAM



# Mobility in health and care

The modern transfer chair for many applications –  
from ambulances to museums.

## SAM Sit and move

**Material** Stainless steel / PU foam

**Wheels** puncture-proof and  
abrasion-resistant PU tires

**Braking system** automatic safety  
braking system



**Stainless steel**  
(1.4301) for best  
hygienic properties



**Space-saving,**  
stackable



**Suitable for**  
automated  
washing systems

SAM  
sit and move

# SAM *sit and move*

various  
lock and  
deposit systems

space saving  
and stackable

electropolished  
stainless steel

sturdy – load capacity  
up to 150 kg

customizable  
advertising space

 Made in  
Germany



## SAM Basic model

**Frame material** Stainless steel tubing 18 – 10, Ø 32 × 2 mm electropolished

**Material for armrests, backrest and seat** PU foam

**Armrest** foldable


**Design** space-saving due to stackability

**Max. weight load** 150.0 kg

**Dimensions** approx. 960 × 710 × 990 mm (L × W × H)

**Weight** 21.0 kg

S-SAM001



designed to save space



## SAM Ambulance version

**Frame material** Stainless steel tubing 18 – 10, Ø 32 × 2 mm, coated in RAL 3020 – traffic red

**Material for armrests, backrest and seat** PU foam

**Armrest** Foldable

**Legrest** PU foam. Comfortable stored on the side. The legrest can be mounted on the right or left while in use. Securing is done through a locking bolt.

**Design** space-saving due to stackability

**Max. weight load** 150.0 kg

**Dimensions** approx. 960 × 710 × 990 mm (L × W × H)

**Weight** 23.0 kg

S-SAM003



The legrest can be mounted on the right or left side.



## **SAM** With customizable advertising set

**Frame material** Stainless steel tubing 18 – 10, Ø 32 × 2 mm electropolished

**Material for armrests, backrest and seat** PU foam

**Armrest** Foldable

**Design** space-saving due to stackability

**Max. weight load** 150.0 kg

**Dimensions** approx. 960 × 710 × 990 mm (L × W × H)

**Weight** 21.0 kg

**Advertising set consisting of** 2 stickers on rear wheel fork and 2 stickers on side advertising plate

S-SAM004



**We will be glad to produce the SAM according to your colour requirements. Talk to us.**



## Accessories for SAM



### LOCK\*

Cost-effective  
& safe

**Housing material** high-quality,  
resistant plastic

**Lock cylinder material** Brass

**Surface** nickel-plated

Z-SAM014



### DEPOSIT SYSTEM\*

Card

**Housing material** high-quality,  
resistant plastic

**Material of key and chain** Stainless  
steel

Z-SAM007



### DEPOSIT SYSTEM\*

Coin

**Housing material** high-quality,  
resistant plastic

**Material of key and chain** Stainless  
steel

**Coins** 50 Ct., 1 € and 2 €

Z-SAM003



### SAFETY BELT

Fast  
and safe

**Material** Polyester

Z-SAM002



### HOLDER

For an  
oxygen bottle

**Material** Stainless steel

Z-SAM012



### CANE HOLDER

Suitable for  
various walking aids

**Material** Stainless steel

Z-SAM013

\*not retrofittable





## STOWAGE SPACE

**Practical  
and stable**

**Material of stowage space** Stainless steel

**Load capacity** 15 kg

**Max. size of luggage** approx.  
400 × 500 × 200 mm

Z-SAM011



## INFUSION POLE

**Especially for the  
transfer chair**

**Material** Stainless steel

**Tube diameter** 18 / 14 mm

**Bottle holder** Stainless steel 2 hooks  
90° – 2.0 kg / hook

**Height adjustment** Single-handed  
system

**Regulating range** approx.  
920 – 1,100 mm

Z-SAM001



## UNIVERSAL BAG

**Especially for the  
transfer chair**

**Material** Nylon fabric with PVC coating

**Dimensions** approx. 375 × 315 × 65 mm  
(L × W × D)

Z-SAM008



## PARKING STATION

**Free standing**

**Dimensions** approx. 844 × 1,817 mm

**Plate size** approx. 720 × 800 mm

Z-SAM004



## PARKING STATION

**For wall mounting**

**Dimensions** approx. 777 × 940 mm

**Plate size** approx. 720 × 800 mm

Z-SAM005

## Treatment furniture

# The right assortment

For a professional and  
smooth treatment.



### OR PRIVACY PROTECTION / SCREENING To hang surgical drapes

**Material** Stainless steel / Aluminium

**Tube diameter** 25 / 18 mm

**Length** approx. 1,500 – 2,800 mm

**Fastening** 2 Universal fastening clamps

**Total weight** approx. 4.0 kg

Z2N08582



### SCREEN CART With fire resistant screen

**Material** Steel coated

**Colour** white

**Size** approx. 980 × 520 × 1,800 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 7.0 kg

S888000A

Surgical drapes are not included in scope of delivery





## STORAGE CART

Removable shelves  
for easy cleaning

**Material** Stainless steel

**Overall dimension** 420 × 420 × 800 mm

**Tube diameter** 18 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 11.0 kg

T2170032



## BOWL HOLDER

Safe holding of liquids,  
solutions and cloths

**Material** Stainless steel

**Bowl holder** with handle (ball handle)

**Number of bowls** 1 or 2 pieces (each 6 l)

**Bowl diameter** 320 mm

**Height** 825 mm

**Base diameter** approx. 635 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 7.8 kg

**With 1 bowl** S0111902

**With 2 bowls** S0112002



**optional: also  
available with  
seamless welded base**



## **ARMREST / LEGREST** **Ergonomic support pad**

**Material** Chrome-plated steel

**Pad material** PU- foam

**Regulating range** approx. 680 mm – 910 mm

**Pad size** 300 × 100 mm

**Base diameter** 635 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 3.0 kg

### **Chrome-plated steel**

**Single-handed system on anti-slide feet** S1112007

**Single-handed system with castors** S1112017

**Screw system on anti-slide feet** S2102037

**Screw system with castors** S2112027



## **ARMREST/LEGREST** **Rotatable, can be tilted and swivelled**

**Material** Chrome-plated steel, white-coated

**Pad material** PU- foam

**Regulating range** approx. 595 mm – 795 mm

**Pad size** 300 × 100 mm

**Base diameter** 635 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 3.0 kg

### **White coated**

**Screw system with castors** S211202A

### **Anti-slip feet**





## **MRI ARM-/LEGREST** **Non-magnetic materials**

**Material** Aluminium

**Base material** Plastic, ultramarine blue

**Pad material** PU- foam

**Regulating range** approx. 825 mm – 1,240 mm

**Base diameter** 635 mm

**Castors** Twin castors Ø 50 mm

**Screw system** S2112013



## **INSTRUMENT TABLE** **Plate with safety edging**

**Material** Stainless steel/Plastic

**Colour of plastic parts** blue

**Plate size** 300 × 200 mm

**Pole** 1,000 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 4.0 kg

I9972302



**DEVICE CART**  
Weighted base construction

**Material** Stainless steel / Aluminium

**Centre tube** Ø 38 × 1,000 mm

**Plate size** 300 × 200 mm

**Multi-purpose basket** 230 × 230 × 250 mm

**Castors** Single castors Ø 80 mm

**Total weight** approx. 22.5 kg

I9972202



**KICK BUCKET**  
For consumables during an operation

**Material** Stainless steel

**Capacity** approx. 12 Litre

**Castors** Single castors Ø 80 mm

**Size** Ø 330 × 440 mm

**Total weight** approx. 3.75 kg

I9972302



## OXYGEN BOTTLE STAND

Transport cart for large oxygen bottles

**Material** Steel, coated

**Colour** white

**Application** for 10 litre – O<sub>2</sub> bottles

**Securing** with lashing strap

**Height** 880 mm

**Base diameter** 635 mm

**Castors** Twin castors Ø 50 mm

**Total weight** approx. 4.5 kg

S013190A



## HOOK CART

Professional screening of surgical towels

**Material** Stainless steel

**Number of hooks** 120

**Size** approx. 475 × 1,200 × 1,600 mm

**Castors** Apparatus castors Ø 75 mm

**Total weight** approx. 27.0 kg

Z2N09102



# OEM solutions

**We develop customer-specific products  
in cooperation with leading manufacturers  
of medical technology.**

**We would be pleased to develop products  
according to your requirements.**





We can fulfil  
almost all  
your wishes.



## Adapters for bed infusion poles

### Made of Plastic



### With adapting elements



### Adapter pin







Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97

Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

[www.provita.nt-rt.ru](http://www.provita.nt-rt.ru) | | [pia@nt-rt.ru](mailto:pia@nt-rt.ru)