Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волаград (844)278-03-48 Волоград (844)278-03-48 Волоград (8472)26-41-59 Воронеж (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Краснодар (861)203-40-90 Красноярск (391)204-63-61 Курск (4712)77-13-04 Куран (3522)50-90-47 Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35 Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Уда (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Чебоксары (8352)28-53-07 Челябинск (351)202-03-61 Черповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru || pia@nt-rt.ru

Казахстан +7(7172)727-132

Каталог продукции на настенные системы компании **PROVITA**

The provita wall systems



We offer proven solutions for a wide range of applications

Wall systems Contents



Wall rails

Medical rails for space-saving device management



IV-Poles

Professional infusion managemen on medical rails



Wall rail carts

Pivoting, mobile device carrier system for infusion and device management



Infusion and pump carrier systems

Practical and user-friendly infusion management



Monitor carrying systems

Carrier systems for efficient monitoring fixation in everyday clinical practice





Miscellaneous accessories for the extension of the wall rail system Wall rails



The stable wall rail for flexible equipment

Flexible device management on any wall, in any room.



High-quality rail profile in accordance to an edge contour standards




Stainless steel (1.4301) for best hygienic properties

MEDICAL RAIL Load capacity up to 100 kg per metre

Material Stainless steel


Any Length through connectors (max. 4000 mm in one piece)

Load capacity 100.0 kg / m



Wall rails Medical rail





Plastic parts available in white or blue colour (without extra cost)



Optional cover in stainless steel (subject to surcharge) (Z2N06242)

MEDICAL RAIL Easy installation

Material Stainless steel

Cover and end caps Plastic / black

Rail profile 25 × 10 × 1.5 mm

Load capacity max. 100.0 kg (per metre)

Surface sanded

Weight approx. 1.5 kg (per metre)

Special feature special and in-between lengths are also possible (with 1 grounding fixation at each rail)

Medical rail, please specify desired length Z2N27242



Optional: adaptable positioning grounding box (subject to surcharge) (Z2N06132)



Connector (E2N4464-)



On customer request, we are also able to modify the distance between wall and rail. Calculation of the number of bolts per rail = rail length / bolt space rounded to the nearest total number. Standard bolt space: 400 mm. Other bolt spaces on request (e.g: 500 mm or 600 mm – the load capacity is reduced with a bolt space of 500 or 600 mm). We reserve the right to provide rails larger than 3,000 mm with appropriate connectors.



MEDICAL RAIL WITH CLIP PLASTIC COVER Easy to retrofit





Medical rail with clip plastic cover, Please specify desired length Z2N27252

ovita	COMPANY	PRODUCTS	BLOS	NEWS	SERVICE	loant.	· ben
Medical rail - planning tool							
1. Enter general project information							
Company name	Project name			. Nation	two time		
	8						
2. Add well-rails							
	tuimum length of a section.	Notes of delayers potestor the Solts	Biostean-da bettering ball and		Selecter of covering cope	Rossin namber for runn, planet of the constant	to aquestad
	4000				Pastribut .		
Add additional comments or special requests to this position							
Add prolites Delete last position Delete all position					annan ar figardar an d	ina and articles p	
2. Submit configuration as working impairy to preside							
Customer number	Campany same			Feitner	18 ¹		
Last same "	E Mail address			Phone ris	unter*		
Brod / House number *	Padd cole*	09*		Country			
have mad the data protection information.							
C come part and easy between a subscripts							

IV-Poles



High-quality IV-Poles for every field of application

The matching wall rail IV-Poles to your requirements.





Stepless height adjustment

Rost frei Stainless steel

(1.4301) for best

hygienic properties





Here you see two types of our height adjustment (screw & single handed system – the "original")

Material Stainless steel / Aluminium

Load capacity 2.0 kg / hook







INFUSION POLE With 2 wall brackets

Material Stainless steel

Tube diameter 25/18 mm

Length of outer tube 1,200 mm

Colour of covers white

Angled 2 × 90°

Parallel offset 300 mm

Distance between wall and tube centre 120 mm

Height adjustment Screw system

Bottle holder Stainless steel 4 hooks

Regulating range approx. 1,460 – 2,000 mm

Load capacity 2.0 kg / hook

Total weight 2.5 kg

INFUSION POLE Straight

Material Stainless steel

Tube diameter 25/18 mm

Length of outer tube 1,000 mm

Height adjustment Screw and Single-handed system

Bottle holder Stainless steel 4 safety hooks

Regulating range approx. 1,180 – 2,020 mm

Load capacity 2.0 kg / hook

Total weight 2.0 kg

Single-handed system

11000422

Screw system

12000422

12000572

12002612

optional: for wall rail clamps and more see accessories

INFUSION POLE 55° angled

Material Stainless steel

Tube diameter 25/18 mm

Length of outer tube 1,000 mm

Angled $1 \times 55^{\circ}$

Parallel offset 300 mm

Height adjustment Screw system

Bottle bar Stainless steel 4 safety hooks

Regulating range approx. 1,250–1,800 mm

Load capacity 2.0 kg / hook

Total weight 2.9 kg



INFUSION POLE 90° angled

Material Stainless steel

Tube diameter 25/18 mm

Angled 2 × 90°

Parallel offset 300 mm

Height adjustment Screw system

Bottle bar Stainless steel 6 hooks

Load capacity 2.0 kg / hook

Total weight 3.0 kg

1,000 mm outer tube

Regulating range approx. 1,270 – 2,115 mm 12000552

1,500 mm outer tube

Regulating range approx. 1,780 – 2,400 mm 12000562

INFUSION POLE Stainless steel tubes acc. to DIN EN 10217-7

Material Stainless steel / Aluminium

Tube diameter 18/14 mm

Length of outer tube 800 mm

Height adjustment Single-handed system

Bottle holder Stainless steel 3 hooks – 2.0 kg/hook

Regulating range approx. 1,150 mm – 1,700 mm

Total weight 1.9 kg

Equipped with wall rail clamps, drip glass and holder, for mounting on medical rail 25 × 10 mm

Without wall support

11000502

With wall support

11000522

INFUSION POLE With light-resistant plastic parts

Material Stainless steel / Aluminium

Tube diameter 25/18 mm

Length of outer tube 1,000 mm

Bottle holder Stainless steel 3 hooks – 2.0 kg/hook

Regulating range approx. 1,000–2,000 mm

Total weight 1.73 kg

Equipped with wall rail clamp and wall support, for mounting on medical rail 25 × 10 mm

Single-handed system

11002112

Screw system

12000112





INFUSION POLE Angled

Material Stainless steel / Aluminium

Tube diameter 25 / 18 mm

Length of outer tube 600 mm

Angled $2 \times 45^{\circ}$

Parallel offset approx. 350 mm

Bottle holder Stainless steel 4 hooks - 2.0 kg/hook

Regulating range approx. 1,180-1,510 mm

Total weight 1.45 kg

Equipped with wall rail clamp and wall support, for mounting on medical rail 25 × 10 mm

Single-handed system

With additional screw height adjustment as anti-swivel protection 1002212

With additional screw height adjustment as anti-swivel protection, with bottle cross 11002262

Screw system

with bottle cross 12002012

with bottle bar 12002022

optional: for wall rail clamps and more see accessories

INFUSION POLE With integrated pull-out stopper

Material Stainless steel / Aluminium

Tube diameter 25 / 18 mm

Length of outer tube 800 mm

Bottle bar Stainless steel 4 hooks – 2.0 kg / hook

Regulating range approx. 1,000–1,600 mm

Total weight 2.03 kg

Equipped with 2 wall rail clamps, for mounting on medical rails $25 \times 10 \text{ mm}$

Single-handed system

11002712

Screw system

12003112





INFUSION ROD Safety hooks acc. to standards

Material Stainless steel / Aluminium

Tube diameter 25 mm

Length 1,500 mm

Bottle bar Stainless steel 4 hooks – 2.0 kg / hook

Total weight 1.5 kg

Equipped with 2 wall rail clamps, for mounting on medical rails 25 × 10 mm

INFUSION POLE With two extension clamps

Material Stainless steel / Aluminium

Tube diameter 38/25 mm

Length of outer tube 1,000 mm

Angled $2 \times 90^{\circ}$

Parallel offset 350 mm

Height adjustment Single-handed system with additional screw system as anti-swivel protection

Bottle bar Stainless steel 4 safety hooks

Load capacity 2.0 kg / hook

Total weight 6.0 kg

Equipped with 2 wall rail clamps, for mounting on medical rails 25 × 10 mm*

10001502

11002612

*Extensions clamps are available in other lenght as an option





ICU UNIT Height adjustment comfort

Material Stainless steel / Aluminium

Height adjustment Single-handed system

Bottle bar Stainless steel 4 or 6 hooks – 2.0 kg/hook

Regulating range 370 mm

Total weight approx. 2.1 kg

Equipped with wall rail clamp for mounting on medical rail or with mounting clamp for mounting on round tube 25 mm or 38 mm

INFUSION HOLDER Space-saving infusion supply

Material Stainless steel / Aluminium

Bottle bar Stainless steel 4 hooks - 2.0 kg / hook

Total weight approx. 1.8 kg

 $\mbox{Equipped with }$ wall rail clamp and wall support, for mounting on medical rail 25 \times 10 mm

With 4 hooks

For medical rail 11009272


For round tube upon request

With 6 hooks


For medical rail 11009292

For round tube upon request

M0009004



Wall rail cart



Easy to change position with our mobile systems


For holding pumps, monitors and other medical devices.

WALL RAIL CART Flexible positioning


Material Stainless steel / Aluminium

Load capacity 75.0 kg

Regulating range 1,100 – 1,900 mm



The wall rail systems can be mounted in different ways and different distances to the wall.







WALL RAIL CART A With carrier tube

Carriage material Aluminium

Carrier tube material Stainless steel

Tube diameter 38 mm

Carriage colour white

Length of outer tube 1,000 mm

System load capacity 75.0 kg

Equipped with 2 complete carriages and one carrier tube


Z2N0214A

Caution:

Wall rails must be mounted exactly parallel to each other, with clamping lever brake on the upper carriage



Caution: Please order stopper set separately (Z2N0628A)



WALL RAIL CART B With infusion pole

Carriage material Aluminium

Carrier tube material Stainless steel

Tube diameter 38 mm

Carriage colour white

Length of outer tube 1,000 mm

System load capacity 75.0 kg

Total weight approx. 4.2 kg


Equipped with 2 complete carriages and one infusion pole

Height adjustment Single-handed system

Bottle bar Stainless steel 4 hooks

Height adjustment 1,100 – 1,900 mm

Z2N0224A



WALL RAIL CART C With angled infusion pole*

Carriage material Aluminium

Carrier tube material Stainless steel

Tube diameter 38 mm

Carriage colour white

Length of outer tube 1,000 mm

System load capacity 75.0 kg

Total weight approx. 4.2 kg

Equipped with 2 complete carriages and one angled infusion pole

Height adjustment Single-handed system with additional screw system as anti-swivel protection

Bottle bar Stainless steel 4 hooks

Height adjustment 1,325 – 1,850 mm


Z2N0225A



^{*} to protect the devices from liquids

Infusion and pump carrier systems

All devices within reach



For practical and user-friendly infusion & device management.



MOUNTING ON A WALL RAIL Vertical

MOUNTING ON A ROUND TUBE Different diameters

MOUNTING ON THE WALL

Carrier systems Infusion and pump carrier systems





Carrier systems Infusion and pump carrier systems



INFUSION CARRIER SYSTEM Single

Material Stainless steel / Aluminium

Regulating range 1,200 – 2,050 mm

Equipped with 2 pivoting support arms with universal clamp and a single-handed system infusion pole

Bottle holder 4 hooks

Support arm length 300 mm

Total weight approx. 5.0 kg

19900312

INFUSION CARRIER SYSTEM Double

Material Stainless steel / Aluminium

Regulating range 1,200 – 2,050 mm

Equipped with 2 infusion poles with single-handed system for mounting on a central tube Ø 38 mm

Bottle holder 4 hooks

Support arm length 300 mm

Total weight approx. 7.9 kg

19900412

EQUIPMENT CARRIER SYSTEM Rotatable

Material Stainless steel / Aluminium

Carrier tube length 1,000 mm

Equipped with one support tube and two universal clamps

2 rotating arms 300 mm

Total weight approx. 2.9 kg

Z2N6643S

Carrier systems Infusion and pump carrier systems



DEVICE CARRIER SYSTEM For vertical rails

Material Stainless steel / Aluminium

Carrier tube length 700 mm

Equipped with one support tube and two height adjustable mounting clamps

Total weight approx. 2.3 kg

Z2N6645A

Can also be set up as a vertical support system



EQUIPMENT CARRIER TUBE Rotatable for wall mounting

Material Stainless steel / Aluminium

Carrier tube length 1,000 mm

Equipped with one support tube and two wall brackets with two rotatable extension arms

Support arm length 200 mm

Total weight approx. 3.0 kg

Z2N6647A

DEVICE CARRIER TUBE For wall mounting

Material Stainless steel / Aluminium

Carrier tube length 1,000 mm


Equipped with one support tube and two wall brackets

Total weight approx. 2.3 kg

Z2N6646A



Carrier systems IWS and DUO-LOCK system



IWS UNIT For infusion and syringe pumps as well as infusion bottles

8

Material Stainless steel / Aluminium

Regulating range 1,500 – 2,450 mm

Equipped with one support tube Ø 33.7 mm, 2 horizontal swivel arms, 2 extension clamps for wall rail, 1 infusion pole with screw system, bottle bar with 6 hooks

Bottle bar Stainless steel 4 hooks

Load capacity 2.0 kg per hook / 25.0 kg system

Total weight approx. 9.0 kg

19971702

DUO-LOCK SYSTEM Horizontal and vertical adjustment

Material Stainless steel / Aluminium

Regulating range approx. 1,500-2,350 mm

Equipped with 2 Duo-Lock systems with quick hand fasteners and one single-handed system infusion pole

Bottle holder Stainless steel 4 hooks

Load capacity 2.0 kg per hook / 10.0 kg overall system

I-DULO01

Monitor carrier systems



Carrier systems for efficient monitoring in everyday clinical practice

The right swivel and support arms for your requirements.



MOUNTING ON A WALL RAIL Horizontal

MOUNTING ON ROUND TUBES Ø 25 - 42 mm



Monitor carrier systems Wall rails



FIXED HEIGHT SWIVEL ARM Easy mounting on wall rail or round tube

Max. weight load 23 kg

Max. monitor weight 14 kg

Support arm length 250 mm

Swivel range on wall side $~\pm90^{\circ}$

Swivel range on monitor side $~\pm90^{\circ}$

Tilting range ±20°

Colour RAL 7035 light grey



For mounting on wall rail

 A Weight approx. 2.27 kg
 Z-DOCK60

 B Weight approx. 2.42 kg
 Z-DOCK62

 C Weight approx. 2.55 kg
 Z-DOCK64



For mounting on round tubes Ø 35 - 38 mm

A Weight approx. 2.33 kg	Z-DOCK61
B Weight approx. 2.48 kg	Z-DOCK63
C Weight approx. 2.61 kg	Z-DOCK65







for »PHILIPS« IntelliVue MP5-70 and MX400-800 monitors

Α

В

for monitors with universal adapter (GE, Dräger, ...)

for monitors and bracket VESA 75 / 100

Monitor carrier systems Wall rails





HEIGHT ADJUSTABLE SWIVEL ARM For » PHILIPS « IntelliVue MP5-70 monitors

Carrier arm length 300 mm

Swivel range on wall side ±80°

Swivel range on monitor side $\pm 50^{\circ}$

Tilting range ±15°

Height adjustment range 460 mm

Colour RAL 7035 light grey

Weight approx. 6 kg

HEIGHT ADJUSTABLE SWIVEL ARM For » PHILIPS « IntelliVue MX400-500 monitors

Weighing range 3-10 kg Carrier arm length 300 mm Swivel range on wall side ±80° Swivel range on monitor side ±50° Tilting range ±15° Height adjustment range 460 mm Colour RAL 7035 light grey

For mounting on wall rail

 Weight 3 – 10 kg
 Z-DOCK66

 Weight 8 – 14 kg
 Z-DOCK67

For mounting on round tubes Ø 25 - 42 mm

 Weight 3 - 10 kg
 Z-DOCK69

 Weight 8 - 14 kg
 Z-DOCK70

For mounting on wall rail

Weight approx. 6 kg Z-DOCK68

For mounting on round tubes Ø 25-42 mm

Weight approx. 6.17 kg Z-DOCK71

Monitor carrier systems Wall rails





HEIGHT ADJUSTABLE SWIVEL ARM For monitors with universal adapter (GE, Dräger, ...)

Support arm length 300 mm

Swivel range on wall side $\pm 80^{\circ}$

Swivel range on monitor side $\pm 90^{\circ}$

Tilting range ±15°

Height adjustment range 460 mm

Colour RAL 7035 light grey

Weight approx. 6 kg

HEIGHT ADJUSTABLE SWIVEL ARM For monitors and bracket VESA 75 / 100

Support arm length 300 mm

Swivel range on wall side ±80°

Swivel range on monitor side $\pm 90^{\circ}$

Tilting range ±20°

Rotation range ±5°

Height adjustment range 460 mm

Colour RAL 7035 light grey

Weight approx.6 kg

For mounting on wall rail

 Weight 3 – 10 kg
 Z-DOCK72

 Weight 8 – 14 kg
 Z-DOCK73

For mounting on round tubes Ø 25 - 42 mm

 Weight 3 – 10 kg
 Z-DOCK74

 Weight 8 – 14 kg
 Z-DOCK75

For mounting on wall rail

 Weight 3 - 10 kg
 Z-DOCK76

 Weight 8 - 14 kg
 Z-DOCK77

For mounting on round tubes Ø 25-42 mm

 Weight 3 – 10 kg
 Z-DOCK78

 Weight 8 – 14 kg
 Z-DOCK79

You have questions about our systems?

Just give us a call. We will be glad to help you personally.



Assembly & Accessories



For the completion and modification of your wall rails.



EXTENSION CLAMP For mounting on round tube (Ø 25, Ø 33,7, Ø 38 mm)

Material Aluminium

Distance medical rail – round tube 100 mm

Colour white

Weight approx. 0.5 kg

 For round tube Ø 38 mm
 Z2N09112

 For round tube Ø 33.7 mm
 Z2N09122

 For round tube Ø 25 mm
 Z2N09132



CLAMPS For mounting lamps, poles and other accessories, for mounting on medical rail 25 × 10 mm

Material Aluminium, ball-polished

Weight approx. 0.4 kg

With grub screw, with fixture entry Ø 18 mm Z2N0643W

With T-screw, with fixture entry Ø 18 mm Z2N0647W

With T-screw, with fixture entry Ø 25 mm Z2N0650W



WALL RAIL CLAMP KIT With fixture entry for round tube

Ø 25 mm, for bridging unevenly deep wall rails

Material Aluminium

Colour white

Weight approx. 0.8 kg

Special feature 1 adjustable clamp (100 – 200 mm), 1 clamp with fixed length

Z2N0618A



STOPPER KIT FOR WALL RAIL For medical rail 25 × 10 mm

For medical rail 25 × 10 mi

Material Aluminium

Colour white

For wall rail carts

Z2N0628A



CLAMP WITH QUICK-RELEASE LEVER For mounting on medical rail 25 × 10 mm

Material Aluminium, anodized

Weight approx. 0.1 kg

Z2N0932W



UNIVERSAL CLAMP

For medical rails and round tubes up to Ø 40 mm, with four holes

Material Aluminium

Total weight approx. 0.3 kg

Z2N6638W



UNIVERSAL CLAMP WITH FIXTURE ENTRY BLOCK

For mounting on medical rails 25 × 10 mm or round tubes up to Ø 40 mm

Material Aluminium

Total weight approx. 0.45 kg

Fixture entry for round tube Ø 18 mm Z2N6642S

Fixture entry for round tube Ø 25 mm Z2N6641S

Holder for lamp pivot Z2N6639S



MEDICAL RAIL WITH UNIVERSAL CLAMP For mounting infusion pumps and

other medical devices

Material Stainless steel / Aluminium

Profile 25 × 10 mm

Length 350 mm

Total weight approx. 0.85 kg

Z2N0684S



CARRIER TUBE WITH UNIVERSAL CLAMP

Universal holder for medical equipment, for mounting on horizontal medical rails

Material Stainless steel

Tube length 500 mm

Tube diameter 25 mm

Total weight approx. 0.9 kg

Z2N6644S





PUMP HOLDER

With wall rail clamp for mounting on medical rails 25 × 10 mm

Material Stainless steel / Aluminium

Tube diameter 25 mm

Length 500 mm

Z2N07162

Weight approx. 0.95 kg

WASTE BAG HOLDER

With wall rail clamp for mounting on medical rails 25 × 10 mm

MaterialStainless steel / AluminiumSize245 × 385 × 185 mm (W × H × D)Weightapprox. 2.0 kgSpecial featureincludes 3 waste bags

Z2N06202



BASKET WITH CLAMP

With wall rail clamp for mounting on medical rails 25 × 10 mm

Material Steel, coated Clamp material Aluminium Colour light grey Size 250 × 90 × 200 mm (W × D × H) Weight approx. 0.7 kg

Z2S0665N



BASKET WITH 2 CLAMPS With two wall rails clamps, for mounting on medical rails 25 × 10 mm

Material Steel, coated Clamp material Aluminium Colour light grey Size 500 × 120 × 100 mm (W × D × H) Weight approx. 1.15 kg

Z2S0666N



TRAY With two wall rail clamps, with edge protection

Material Stainless steel / Aluminium Tray size 300 × 250 mm Load capacity 4.0 kg Weight approx. 2.75 kg

Z2N07332



GLOVE BOX HOLDER 3-FOLD FOR MEDICAL RAIL With wall rail clamp for mounting on medical rails 25 × 10 mm

Material Stainless steel / Aluminium

Size outer dimensions $240 \times 403 \times 99 \text{ mm} (W \times D \times H)$

Size inner dimensions (per shelf) 240 \times 132 \times 96 mm (W \times D \times H)

Weight approx. 2.5 kg

Z2N65522



GLOVE BOX HOLDER 2-FOLD FOR MEDICAL RAIL

With wall rail clamp for mounting on medical rails 25 × 10 mm

Material Aluminium, coated

Colour silver

Size $280 \times 270 \times 100 \text{ mm} (W \times D \times H)$

Weight approx. 1.3 kg

Z2N09353



GLOVE BOX HOLDER 3-FOLD FOR MEDICAL RAIL

With wall rail clamp for mounting on medical rails 25 × 10 mm

Material Aluminium, coated

Colour silver

Size $390 \times 260 \times 100 \text{ mm} (W \times D \times H)$

Weight approx. 1.5 kg

Z2N09363



CATHETER BASKET FOR MEDICAL RAIL

Material Stainless steel, electropolished

Mounting Two hooks for medical rail

Weight approx. 0.5 / 0.8 kg

150 × 100 × 280 mm (W × D × H) Z2N08122

150 × 100 × 480 mm (W × D × H) Z2N08132



CATBOX with window without screens

CATBOX 500 F (height 500 mm) Z2N08232

CATBOX 600 F (height 600 mm) Z2N08242

CATBOX 700 F (height 700 mm) Z2N08252

CATHETER BOX with window and two separating screens (3-fold separation)

CATBOX 500 FT (height 500 mm) Z2N08262

CATBOX 600 FT (height 600 mm) Z2N08052

CATBOX 700 FT (height 700 mm) Z2N08062

CATHETER BOXES

For medical rails 25×10 mm

Material Stainless steel

Mounting welded sheet metal for attachment to the medical rail

Cleaning autoclavable, bottom easy to open due to unlocking mechanism



CATHETER BOX without separating screens

CATBOX 500 (height 500 mm) Z2N08222

CATBOX 600 (height 600 mm) Z2N08092

CATBOX 700 (height 700 mm) Z2N08102

CATHETER BOX with two separating screens (3-fold separation)

CATBOX 500 T (height 500 mm) Z2N08272

CATBOX 600 T (height 600 mm) Z2N08072

CATBOX 700 T (height 700 mm) Z2N08082



HOSE SUPPORT ARM With gooseneck arm 360° rotatable

Material Stainless steel / Plastic

Work radius approx. 1190 mm

Fixture pin Ø18 × L35mm

Weight approx. 2.3 kg

Gooseneck arm 200 mm

ARTICULATED ARM With hose clamps (Ø approx. 23 mm), without wall rail clamp

Material Steel, chrome plated

Work radius approx. 1,000 mm

Fixture pin 18×L35 mm

Weight approx. 2.0 kg

Z2N06528

Z2S06527



CABLE ARM Double-extension to mount on rail 25 x 10 mm

Material Stainless steel, electropolished

 $\textbf{Centre distance} \quad \text{approx.} \ 2 \times 400 \ \text{mm}$

Working radius approx. 800 mm

Weight 1,5 kg

Z2N06832



STORAGE TRAY FOR MEDICAL RAIL Functional, space-saving foldable

Material Stainless steel / Aluminium

Shelf dimensions approx. 375 × 232 mm

Load capacity approx. 10 kg

For medical rail 25 × 10 mm

Weight approx. 2,6 kg

Z2N07602





SHELF Without drawer

Material Stainless steel

Shelf size 540 × 360 mm

Tragkraft 40.0 kg

Gewicht ca. 6.0 kg

With two wall rail clamps and wall support Z2N09002

With two wall rail clamps and wall support, with lateral rails Z2N09032

for wall rail cart

for round tube Ø 38 mm Z2N09042

for wall rail cart with lateral rails Z2N09162

SHELF With drawer

Tray material Stainless steel

Drawer material Steel, white coated

Shelf size 540 × 360 mm

Drawer size 420 × 310 mm

Drawer height 120 mm

Load capacity 40.0 kg

Weight approx. 10,1 kg, with 1 drawer Z2N09012

Weight approx. 10,8 kg, with 1 drawer with lateral rails Z2N09182

for wall rail cart

Weight approx. 10,1 kg, for round tube Ø 38 mm, with 1 drawer Z2N09152

Weight approx. 10,8 kg, for round tube Ø 38 mm with 1 drawer and lateral rails Z2N09192





SHELF With 2 drawers

Tray material Stainless steel

Drawer material Steel, white coated

Shelf size 540 × 360 mm

Drawer size 420 × 310 mm

Drawer height 120 mm

Load capacity 40.0 kg

Weight approx. 14,7 kg, with 2 drawers Z2N09022

Weight approx. 15,4 kg, with 2 drawers and lateral rails Z2N09212

for wall rail cart

Weight approx. 14,7 kg, with 2 drawers Z2N09172

Weight approx. 15,4 kg, for round tube Ø 38 mm with 2 drawers and lateral rails Z2N09222







MEDICAL RAIL For round tube Ø 38 mm, height adjustable by using 2 fixing screws

Materia	l Stainless steel / Aluminium
Profile	25 × 10 mm
Length	558 mm
Weight	approx. 0.9 kg

Z2N06512

DEVICE TRAY For round tube Ø 38, with edge protection

MaterialStainless steel / AluminiumSize300 × 250 mmLoad capacity4.0 kg

Weight approx. 2.75 kg

Z2N0754A

CABLE/HOSE HOLDER

Material Plastic

Colour white

For round tube 38 mm Z2K09343

For medical rail 25 × 10 mm Z2K09353



SWIVEL ARM With fixture pin Ø 25 mm

Material Aluminium

Centre distance 300 mm

Fixture entry for Ø 25 mm round tube

Colour white

Weight approx. 1.0 kg

Z2N6650S



SUPPORT ARM For holding 2 infusion poles 25 mm

Material Aluminium

Distance from tube entries to the centre point 300 mm

Tube support Ø 25 mm, Ø 38 mm, Ø 25 mm

Colour white

Weight approx. 1.5 kg

Z2N6651S



MEDICAL PLUGBOARD "VARI MED"

Child proof (increased protection against accidental contact with the plugs)

Housing material Aluminium, anodized

Acc. to standards DIN EN 60601-1-1


4-fold, 2-pole fused Z2K07014



SWIVEL ARM FOR INFUSION POLE Clamp can be retrofitted



SWIVEL ARM FOR INFUSION POLE Clamp can be retrofitted



HOOK STRIP To mount on Ø 38 mm round tube

Material Stainless steel / Aluminium

Centre distance 300 mm

Fixture entry for Ø 25 mm round tube

Colour white

Load capacity 25 kg

Z2N6652A

Centre distance 300 mm Fixture entry for Ø 25 mm round tube Colour white Load capacity 25 kg

Material Stainless steel / Aluminium

Z2N6653A

Material Aluminium/Stainless steel

Mounting with doubled-clamp for Ø 38 mm tube

Colour white

2 hooks Z2N3002A

2 hooks + 1 horizontal hook Z2N3020A

3 hooks Z2N3003A

3 hooks + 1 horizontal hook Z2N3030A

4 hooks Z2N3004A

4 hooks + 1 horizontal hook Z2N3040A



Алматы (7273)495-231 Ангарск (3955)60-70-56 Архангельск (8182)63-90-72 Астрахань (8512)99-46-04 Барнаул (3852)73-04-60 Белгород (4722)40-23-64 Благовещенск (4162)22-76-07 Брянск (4832)59-03-52 Владивосток (423)249-28-31 Владикавказ (8672)28-90-48 Владимир (4922)49-43-18 Волоград (844)278-03-48 Волоград (8472)26-41-59 Воронек (473)204-51-73 Екатеринбург (343)384-55-89 Иваново (4932)77-34-06 Ижевск (3412)26-03-58 Иркутск (395)279-98-46 Казань (843)206-01-48 Калининград (4012)72-03-81 Калуга (4842)92-23-67 Кемерово (3842)65-04-62 Киров (8332)68-02-04 Коломна (4966)23-41-49 Кострома (4942)77-07-48 Краснодар (861)203-40-90 Краснодар (861)203-40-90 Краснодар (851)204-63-61 Курск (4712)77-13-04 Курган (3522)50-90-47 Липецк (4742)52-20-81

Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13 Москва (495)268-04-70 Мурманск (8152)59-64-93 Набережные Челны (8552)20-53-41 Нижний Новгород (831)429-08-12 Новокузнецк (3843)20-46-81 Ноябрьск (3496)41-32-12 Новосибирск (383)227-86-73 Омск (3812)21-46-40 Орел (4862)44-53-42 Оренбург (3532)37-68-04 Пенза (8412)22-31-16 Петрозаводск (8142)55-98-37 Псков (8112)59-10-37 Пермь (342)205-81-47 Ростов-на-Дону (863)308-18-15 Рязань (4912)46-61-64 Самара (846)206-03-16 Саранск (8342)22-96-24 Санкт-Петербург (812)309-46-40 Саратов (845)249-38-78 Севастополь (8692)22-31-93 Симферополь (3652)67-13-56 Смоленск (4812)29-41-54 Сочи (862)225-72-31 Ставрополь (8652)20-65-13 Сургут (3462)77-98-35 Сыктывкар (8212)25-95-17 Тамбов (4752)50-40-97 Тверь (4822)63-31-35 Тольятти (8482)63-91-07 Томск (3822)98-41-53 Тула (4872)33-79-87 Тюмень (3452)66-21-18 Ульяновск (8422)24-23-59 Улан-Удэ (3012)59-97-51 Уфа (347)229-48-12 Хабаровск (4212)92-98-04 Челябинск (351)202-03-61 Череповец (8202)49-02-64 Чита (3022)38-34-83 Якутск (4112)23-90-97 Ярославль (4852)69-52-93

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.provita.nt-rt.ru || pia@nt-rt.ru